

XINGLIAO

SHENZHEN XINGLIAO INTELLIGENT TECHNOLOGY CO., LTD.

Smart Home Product Catalog 2026

Complete smart home product series for global partners — sensors, security, switches, appliances & more.

CATEGORIES

- Smart Sensors
- IR Remote Controllers
- Smart Door Locks
- Smart Gateways & Hubs
- Smart Irrigation & Breakers
- Smart Control Panels
- Video Doorbells, Cameras & Pet Care
- Smart Switches
- Home Appliances & Yard Equipment


Smart Living, Made Simple

Smart Sensors

Zigbee / WiFi / Bluetooth sensors for security, environment and everyday convenience — motion, presence, temperature & humidity, smoke, CO, water leak, siren and more.

47 MODELS

01



Unit weight:24g Product size:5.1*2*5.1cm
Zigbee Vibration Sensor / 1*CR2032
ZSS-S02-VBR



Unit weight:65g Product size 6.1*3.5*4.3cm
Zigbee Rain Sensor / CR 123A
ZSS-RL 01-A



/ USB Charging
Bluetooth Smart CO2 + Temp & Humidity 3-in-1 Sensor / Built-in Li Battery
BSS-X-CO 2-U



ZIGBEE Battery included
Zigbee Series / Temp & Humidity Probe
ZB-XTH



ZIGBEE Battery included
Zigbee Series / Temp & Humidity Probe
ZB-ZTH



ZIGBEE
Fahrenheit Switchable
Zigbee Series / Temp & Humidity + Light Sensor / E-ink Display / Celsius /
ZSS-ZK-THL



Unit weight:80g Product size:7*5.5*7.3cm
ZigbeePIR Motion Sensor / 1*CR 2450 Battery included
ZSS-S 01-PIR



Unit weight: 25g Package size: 3.5*2.8*7.5cm
ZigbeePIR Motion Sensor / 2*AAA Battery not included
ZSS-P 01-PIR-A



Unit weight:66g Product size: 15*5.2*8cm
Radar / USB 5V 1A
Zigbee Human Presence Sensor / With Light Sensing / USB Version /
ZSS-HP 03-WH-U



Unit weight:39g Product size: 7.5*4.5*3.5cm
ZigbeeHuman Presence + IR Sensor / 2*AAA
ZSS-HP 05-A



size: 41*27*21 72pcs / box
Unit weight: 130g Package size: 8.3*3.1*9.7cm Carton weight: 9.44kg Outer carton
Radar / USB 5V 1A
Zigbee Human Presence Sensor / With Light Sensing / USB Version /
ZSS-LP-HP 02



42*42*43cm 80pcs / box
Unit weight:208g Package size: 15*15*10cm Carton weight: 10.3kg Carton size:
Zigbee Human Presence Sensor / 90-250V
ZSS-QY-HP



Unit weight 115g Product size: 9.2*9.2*6.3cm
Zigbee Combustible Gas Alarm / USB 5V 1A
ZSS-QY-GL



Unit weight: 29g Product size: :5.5*5.5*2.5cm
Zigbee Light Sensor / 0-1000 Lumens / 1xCR2032 battery
ZSS-QY-LS-C



49*40*38cm 720pcs / box
Unit weight:32g Package size: 5.3*5.3*2.3cm Carton weight: 22.8kg Carton size:
Zigbee Door / Window Sensor / 1xCR2032 battery
ZSS-S 01-GWM-C



Unit weight: 40g Package size: 5.3*5.3*2.3cm
Zigbee Temperature & Humidity Sensor / 1xCR2032 battery
ZSS-S 01-TH



Unit weight: 34g Package size: 5.1*2*5.1cm
Zigbee Temperature & Humidity Sensor / 1xCR2032 battery
ZSS-T 02-TH



Unit weight: 59g Package size: 6*6*2cm
Zigbee Temperature & Humidity Sensor / 1xCR2032 battery
ZSS-KB-TH-LF-C



Unit weight: 59g Package size: 6*6*2cm
Zigbee Temperature & Humidity Sensor / 1xCR2032 battery
ZSS-KB-TH-LY-C



50pcs / box
Unit weight: 110g Product size: 8.5*5*9.5 Carton weight: 4.8kg Carton size: 45*27*21
sos Zigbee Siren Alarm / USB 5V 1A
ZSS-LO-SLA-U



45*28*39cm 100pcs / box
Unit weight: 70g Product size: 6*6*8.2cm Carton weight: 7.7kg Carton size:
Zigbee Siren Alarm / EU standard
MG-BJQ 002



Unit weight: 600g Product size: 23*18.3*8.3
Zigbee Solar Outdoor Siren Alarm / IPX 5 / Built-in Li Battery
ZSS-LO-SLA 02



58*31*25cm 60pcs / box
Unit weight: 235g Product size: 11.2*4.5*11cm Carton weight: 14.6kg Carton size:
Zigbee Carbon Monoxide Alarm / 2xAA batteries
ZSS-S 02-CS-A



Zigbee Smoke Alarm / 1xCR123A battery
ZSS-QY-SA-A



Unit weight:138g Product size:8.8*8.8*6.5 cm
Zigbee Smoke Alarm / 1xCR123A battery
ZSS-HM-SSD 01-A



Unit weight:255g Product size:14.7*10.6*5.4cm
Mini Carbon Monoxide Alarm / Built-in Li Battery 1000m Ah
S 01-CO



44*34*29cm 100pcs / box
Unit weight:107g Product size:10.7*6.1*5.5cm Carton weight: 11.2kg Carton size:
Humidity / US / EU / UK Standard
CO & Combustible Gas Alarm / CO + Combustible Gas + Temp &
S 02-CG

XINGLIAO
image available on request

Carton size: 5*27*33.3cm 80pcs...
US Standard: Unit weight:175g Product size:12.8*6.5*6.3cm Carton weight: 14.7kg
Carbon Monoxide Alarm / 2.5D Glass / US / EU / UK Standard
S 03-CO



CO & Combustible Gas Alarm / 2.5D Glass / US / EU / UK Standard
S 03-CG

XINGLIAO
image available on request

CO & Smoke Alarm / Alarm / 2.5D Glass / US / EU / UK Standard
S 03-CS

XINGLIAO
image available on request

CO & Gas & Smoke Alarm / Alarm / 2.5D Glass / US / EU / UK Standard
S 03-CGS



Unit weight: 31g Package size: 5.1*2*5.1cm
Zigbee Water Leak Sensor / 1xCR2032 battery
ZSS-S 02-WL



Unit weight: 38g Product size: 5.4*5.3*2.3cm
Zigbee Water Leak Sensor / 1xCR2032 battery
ZSS-QY-WL-C



Unit weight: 259g Product size: 10.3*16.2*5cm
Zig Bee Ultrasonic Liquid Level Sensor / EU Standard adapter
ZSS-LM 01 WSS-LM 01



Unit weight: 25g Package size: 5.1*2*5.1cm
Zigbee SOS Alarm / 1xCR2032 battery
ZSS-S 02-SOS



Batteries not included) 150pcs / box
Product size: 85*55*24mm Carton size: 47.5*38.3*13.4cm / Carton weight: 7.18 kg
WiFi Door / Window Sensor / 2xAAA batteries
WSS-FL-GWM-A



Unit weight:79g Product size: 8.1*10.1*2.9cm

WiFi Temperature & Humidity Sensor / 3xAAA batteries (not included)

WSS-T 08-A



Unit weight:28g Product size: 4.8*3.9*1.5cm

WiFi Temperature & Humidity Sensor / 2xAAA batteries

WSS-FL-TH-A



WiFi Temperature & Humidity Kit

WSS-TH 210



Unit weight:134g Product size: 8*8*2cm

5V 1A

WiFi Temperature & Humidity Sensor / with Inductive Bright Screen / USB

WSS-FL-TH 16-WH



WiFi Smart Water Leakage Sensor

210pcs / box

Unit weight:63g Product size: 8*7*4cm Carton weight: 19.4kg Box size: 42.5*27*32

WiFi Water Leak Alarm / 2xAAA batteries

WSS-JM-WL-A



Unit weight:66g Product size: 15*5.2*8cm

/ USB 5V 1A

WiFi Human Presence Sensor / With Light Sensing / USB Version / Radar

WSS-HP 03-WH-U



Unit weight: 25g Package size: 3.5*2.8*7.5cm
 Wi-Fi PIR Motion Sensor / 2*AAA Battery not included
WSS-P 01-PIR-A



Batteries not included) 70pcs / box
 Product size: 65*65*72.3mm Carton size: 53*33.5*16.5cm / Carton weight: 7.2 kg
 Wi-Fi IR Human Motion Sensor / 2xAAA batteries
WSS-FL-PIR-A



73*28.5*26.5 50pcs / box
 Unit weight: 181g Product size: 13.1*13*4.5 Carton weight: 10.1kg Carton size:
 Wi-Fi Smoke Sensor / 2xAAA batteries
WSS-S-SSD



50pcs / box
 Unit weight: 110g Product size: 8.5*5*9.5 Carton weight: 4.8kg Carton size: 45*27*21
 Wi-Fi Siren Alarm / USB 5V 1A
WSS-LO-SLA



Unit weight: 249g Product size: 8.1*6.9*16.1cm
 Battery
 Wi-Fi Solar Outdoor Siren Alarm with IR PIR Sensor / IP 65 Built-in Li
WSS-SLA 03-S

IR Remote Controllers

02

Universal WiFi / Zigbee IR remotes to control TV, AC, set-top boxes, fans, projectors and other devices by app or voice.

9 MODELS



Unit weight:32g Product size 11.5*3.5*1.7cm
Box Fan Projector and other devices)Voice Control App Control
WiFi Universal IR Remote Control / +RF433+RF315 / (TV / AC Set-top
WR-FL-IRF-U



and other devices)Voice Control App Control
WiFi Universal IR Remote Control / (TV / AC Set-top Box Fan Projector
WR-FL-IR-U



50x41x26.5cm 100pcs / ctn
Unit weight:106g Unit dimensions: 9x9x4.5cm Carton weight: 11.6kg Carton size:
batteries
Zigbee IR Remote (Compatible with Zigbee Wired Gateway) / 2xAAA
UFO-R 11



40x40x25cm 100pcs / ctn
Unit weight:98g Unit dimensions: 10x10x5cm Carton weight: 10.6kg Carton size:
Zigbee IR Remote (Compatible with Zigbee Wired Gateway) / Type-c
UFO-R 4Z



39*39.4*24.2 100pcs / box
Unit weight:108g Product size: 7*7.1*4.8 Carton weight: 10.6kg Carton size:
Box / Fan / Projector and other devices) / Voice Control / App Control
WiFi Universal IR Remote Control / +RF433+RF315 / (TV / AC Set-top
UFO-R 2-RF



100pcs / box
Unit weight:90g Product size: 7*7*4.8 Carton weight: 10kg Carton size: 39.4*39*24.2
and other devices)Voice Control App Control
WiFi Universal IR Remote Control / (TV / AC Set-top Box Fan Projector
UFO-R 6



Unit weight:104g Product size: 8*8*1.6cm

wake-up / temp & humidity display

WiFi Universal IR Remote Control / Supports offline control & touch / PIR

WR-FL-S 16-BK



Unit weight:65g Product size: 10.5*6.3*2.4cm

WiFi Universal IR Remote Control / Supports offline on / off control

WR-FL-S 06



Smart IR Remote with Temperature and Humidity Sensor

Unit weight: 94g 14*8.2*2

Control App Control

WiFi Universal IR Remote Control / Temp & Humidity Sensing / Voice

WR-TY-THR

Smart Door Locks

03

Fingerprint, face recognition, password, IC card and app smart locks for homes, offices, apartments and hotels.

20 MODELS



365*130*210mm
 Net weight: 1.9kg Gross weight: 2.8kg Product size: 270*64*24mm Package size:
 Key / Fingerprint / Password / APP / Interoperable with other devices / ...
 tuya Smart Door Lock / Includes 5052 lock body / 22x160mm / IC Card /
WDL-ZX-201

XINGLIAO
 image available on request

365*130*210mm
 Net weight: 1.9kg Gross weight: 2.8kg Product size: 270*64*24mm Package size:
 Key / Fingerprint / Password / APP / Interoperable with other devices / ...
 tuya Smart Door Lock / Includes 5052 lock body / 22x160mm / IC Card /
WDL-ZX-202



Unit weight: 0.5kg Product size: 36.5*13*21cm
 anti-pry shackle / IP65 / Type-C rechargeable / mechanical key backup.
 0.5s fingerprint unlock / Tuya App remote access / 10mm stainless steel
BDL-BG-R 2-US



Unit weight: 410g
 App remote / mechanical key / IC card / password / plus emergency pow...
 Alloy Smart Door Lock (Smart Lockset) - 6 unlock methods: fingerprint /
BDL-BG-R 2-KIT



Unit weight: 1411g
 monitoring / video intercom with voice changing / 9 unlock methods / ...
 financial-grade 3D face recognition / WiFi remote control & real-time
XL-d11



Unit weight: 1412g
 fingerprint / password / IC card / key and one-time code / C-grade lock...
 face recognition / video intercom & monitoring / mobile APP remote /
XL-d6



Unit weight:173g Product size:11.5*8.2*5.1cm
Bluetooth Smart Cabinet Lock / ID Card / APP / NFC Unlock
BDL-L 1



Unit weight:163G Product size:11.5*8.2*5.1cm
Bluetooth Smart Cabinet Lock / ID Card / APP / NFC Unlock
BDL-L 2



Unit weight:1.4kg Dimensions & Weight: 29.6x17.6x9.6cm
APP Unlock / 2xAA batteries
WiFi Smart Wooden Door Lock / IC Card / Key / Fingerprint / Password /
BDL-L 3



33*45*39cm 30pcs / box
Unit weight:413g Product size: 20.8*12.4*5.5cm Carton weight: 13kg Carton size:
Hidden design
Bluetooth Hidden Smart Lock / IC Card / APP Control / 4xAAA batteries /
BDL-L 5



37*35*62cm 10pcs / box
Unit weight:1.9kg Product size: 33.2*17.5*12cm Carton weight: 20kg Carton size:
card / dual-bearing handle / smart chip / fake-password protection / safe...
VOC Smart Fingerprint Door Lock - fingerprint unlock / encrypted RFID
WDL-G 2U



Unit weight: 3.26kg Carton size 50.5*21.5*15cm
Password / Face ID / APP Unlock / Built-in Li Battery
WiFi Smart Face Recognition Door Lock / IC Card / Key / Fingerprint /
WDL-T 9P



61.5*37.7*36.5cm 10pcs / box
 Unit weight:1.87kg Product size:33*12*18cm Carton weight: 21kg Carton size:
 Key / Fingerprint / Password / APP / Interoperable with other devices / ...
 WiFi Smart Door Lock / Includes 5050 lock body / 22x160mm / IC Card /
WDL-X 1



66.5*37.8*39cm 10pcs / box
 Unit weight:1.9kg Product size:37*12*18cm Carton weight: 19.1kg Carton size:
 Interoperable with other devices / 4xAA batteries (lock body not included)
 WiFi Smart Door Lock / IC Card / Key / Fingerprint / Password / APP /
WDL-B 2



58*26*43cm 15pcs / box
 Carton weight: 26kg Product size 25*19*8.2 Unit weight 1.78kg Carton size:
 Interoperable with other devices / 4xAAA batteries
 WiFi Smart Door Lock / IC Card / Key / Fingerprint / Password / APP /
WDL-R 5



Unit weight:1.35kg Product size:21*20*9cm
 Interoperable with other devices / 4xAAA batteries
 Bluetooth Smart Door Lock / IC Card / Key / Fingerprint / Password / APP /
BDL-N 01



Unit weight:1.6kg Product size:21*19*10cm
 PP / 4xAA
 WiFi Smart Iron Gate Lock / IC Card / Key / Fingerprint / Password / APP /
WDL-HG-200K



Unit weight:2.5kg Product size:39*18.5*9.2cm
 IP66 / 3585 lock body / 4xAA batteries
 WiFi Smart Door Lock / IC Card / Key / Fingerprint / Password / APP /
WDL-F 2



Unit weight:2.5kg Product size:39*18.5*9.2cm

WDL-F 3

WDL-F 3



Interoperable with other devices / 4xAAA batteries
Bluetooth Door Lock / IC Card / Fingerprint / Password / APP /
BDL-SNM 10-BK ZDL-SNM 10-BK

Smart Gateways & Hubs

04

Zigbee / Bluetooth gateways, hubs, repeaters and scene buttons to connect and unify your entire smart home ecosystem.

22 MODELS



35*29*44cm 200pcs / box
 Unit weight: 84g Product size:6.1*6.1*3.8cm Carton weight: 13.1kg Carton size:
 Zigbee Wireless Gateway / USB 5V 1A
ZHUB-W



Ethernet (wired)
 Zigbee Wired Gateway - connects Zigbee devices to your network via
ZHUB-C



Unit weight:139g Product size 9.3*9.3*5cm
 simultaneously
 Bluetooth Gateway / USB 5V 1A / Can control 16 single devices
BHUB



Unit weight:200g Product size 9.5*9.5*5
 Matter Zigbee Wired Gateway / Type-C 5V 1A
MZHUB



Unit weight:200g Product size:9.8*9.5*5
 5V 1A
 Zigbee + Bluetooth Wired Multi-Mode Gateway / With Sound Alarm / USB
MHUB-MS



51.5*51.5*23 50pcs / box
 Unit weight:179g Product size:9.3*9.3*8.6 Carton weight: 10kg Outer carton size:
 / Siren & Light Alarm / Voice Prompt / Doorbell / Alarm / LED Indicator...
 Zigbee + Bluetooth Wireless Multi-Mode Gateway / One-key Arm / Disarm
MHUB-W



Unit weight:32g Product size 11.5*3.5*1.7cm
Zigbee + Bluetooth Multi-Mode Gateway / USB 5V 1A
MHUB-FL-U



46*31.5*47cm 150pcs / box
Unit weight: 105g Product size: 9.1*9.6*4.4:cm Carton weight: kg Carton size:
1A
Zigbee + Bluetooth Multi-Mode Gateway / +IR Remote Control / USB 5V
MHUB-YR-W-IR



Unit weight:35g Product size: 7.5*7.5*3.5cm
Multi-Mode Socket Gateway / EU standard
MPH-S1-EU



Unit weight:18g Product size 7.3*5.6*2.6cm
Zigbee Repeater
ZZJ-R02



Unit weight:0.6kg Dimensions: 16.5x12.5x6.6cm
Used with CCP-TY 10 Control Panel / Apartment Edition - Please inquire
Access Control System / 2MP HD Camera / Tamper Alarm / Intercom /
AC-TPD 01



Unit weight: 56g Product size: 5.4*5.4*3cm
Zigbee Knob Dimming Scene Button / 1xCR2032 battery
ZT-RD 02



Unit weight: 43g Product size: 6*6*5cm
Zigbee Knob Dimming Scene Button / 1xCR2032 battery
ZT-SY-RD-C



Unit weight: 23g Product size: 5.1*5.1*2cm
Zigbee Wireless Scene Button Sticker / 1xCR2032 battery
ZT-S 02-SR



46x34x27.5cm 350pcs / ctn
Unit weight: 38g Unit dimensions: 6x6x2.3cm Carton weight: 14.3kg Carton size:
Zigbee Wireless Scene Button Sticker / 1xCR2032 battery
ZT-SY-SR-C




Unit weight: 638g Unit dimensions: 31.3*9.8*9.6cm
WiFi Smart RGB Gaming Mouse Pad / DC 5V / RGB / 90*30*3cm
WL-MP-RIC



size: 54.5x54.5x33.4cm 50pcs / ctn
Unit weight: 340g Unit dimensions: 10.5x10.5.7x15.7cm Carton weight: 18kg Carton
WiFi Children Training Alarm / Adapter: British / EU / US Standard
WTC-JK



Unit weight: 423g Unit dimensions: 24.5*5*14.5cm
Bluetooth BBQ Skewer
BSS-SW-BBQ-A



36x37x20cm 144pcs / ctn
Unit weight: 51g Unit dimensions: 5.5x5.5x4.5 Carton weight: 7.4kg Carton size:
Bluetooth Thumb Robot / 1xCR2 battery
BS-FB-V 2



36x37x20cm 144pcs / ctn
Unit weight: 51g Unit dimensions: 5.5x5.5x4.5 Carton weight: 7.4kg Carton size:
Bluetooth Thumb Robot / With touch button / 1xCR2 battery
BS-FB-V 3



ZS-FB-V 3
ZS-FB-V 3



37x37x22cm Qty / ctn: 144
Unit weight: 56g Unit dimensions: 5.8x5.8x4.6cm Gross weight: 8.2kg Outer carton:
Bluetooth Rocker Robot / Built-in Li Battery TYPE-C
BS-FB 02

Smart Irrigation & Breakers

05

Smart irrigation valves, circuit breakers and water control solutions for gardens and home safety.

25 MODELS



Unit weight:537g Product size: 12*13.2*9.6
WiFi Valve Controller / EU / US Standard
WV-LZ



Unit weight:590g Product size: 13*13*10cm
WiFi Valve Controller / EU / US Standard
WV-QY-WH



Unit weight:516g Product size: 13.2*10.7*13.1cm
Zigbee Valve Controller / 4xAA batteries
ZV-PM 07D-A



Unit weight: 400g Inner box: 17*11*4.7cm
WiFi Solar Irrigation Valve / US standard / EU standard
WWW-QT 08



Unit weight: 109g Inner box: 19*5.2*5.2cm
WWW-QT 08
Bluetooth Soil Temp & Humidity Sensor / 3xAA (not included) / Used with
BSS-QT 10-STH



Unit weight: 542g Inner box: 22*13.2*7.7cm
WiFi 1-ch Smart Watering Device / IPX 2 / 4*AA / Type-c
WWP-GDT 102W



41*42.5*30.5cm 32pcs / box
Unit weight: 443g Inner box: 19.5*10*7cm Carton weight: 15kg Carton size:
WiFi Smart Watering Device / IP 65 / 4*AA
WWV-WT 601-CU



39.5*29*43cm 30pcs / box
Unit weight: 553g Inner box: 13.2*13*7.3cm Carton weight: 16.8kg Carton size:
Battery / US Standard top / bottom copper connectors
WiFi Smart Solar-charged Watering Device / IPX 6 / Built-in 2000mAh Li
WWV-SGW 08SY-UK-CU-GN



Unit weight: 387g Inner box: 12.7*12.4*6.6cm
Non-smart Timer Irrigation Valve / 2xAA batteries / EU / US Standard
TWV-YZD01



Unit weight: 387g Inner box: 12.7*12.4*6.6cm
Non-smart Timer Irrigation Valve 1-ch / 2xAA batteries / EU / US Standard
TWV-YZD 01



Unit weight: 460g Inner box: 13.2*12.2*7.5cm
Non-smart Timer Irrigation Valve 2-ch / 2xAA batteries / US Standard
TWV-SGW06-US-GN



Unit weight: 131g Inner box: 5*5*10cm
Water Flow Meter / 1xCR2032 battery US standard
TWM-SGS 05-US



Unit weight: 126g Inner box: 6.5*3*25.5cm
Soil Sensor / Soil Temp / Moisture / pH / 3xAAA batteries
TSS-SGS 07-STH



60*33.4*34.5cm 15pcs / box
Unit weight: 0.96kg Product size: 32*19.5*6.3 Carton weight: 13kg Carton size:
WiFi Watering Device / Built-in 2600mAh Li Battery
WWP-BY-908



Unit weight: 0.56kg Product size: 15.2*13.1*14cm
WiFi Watering Device / Type C
WWP-BY-808



WiFi Smart Plant Grower / EU / US Standard / UK standard
WGH-YC 01



Unit weight: 50g Product size: 3.5*2.3*17cm
Bluetooth Soil Temp & Humidity Sensor / 2xAAA batteries
BSS-YC-STH-A ZSS-YC-STH-A



2.5m external probe
WiFi Temperature Control Socket / EU Standard / British Standard / with
WTP-BY-EU



43*40*33cm 30pcs / box
Unit weight: 520g Inner box: 10*8*19cm Carton weight: 16.5kg Carton size:
WiFi Temperature Control Socket / US Standard / EU standard
WTP-YC-US 2



Unit weight: 107g Product size: 9.7*2.1*7.2cm
over-current / over-voltage protection / under-voltage protection
WiFi Circuit Breaker / 1P 6A-40A 90-250V / with power metering /
WCB-A 5-TW-E 1



Unit weight: 185g Product size: 9.7*4*7cm
over-current / over-voltage protection / under-voltage protection
WiFi Circuit Breaker / 1P 6A-63A 220V / with power metering /
WM-AXA 1-TW-E 2S



Carton weight: 19.2kg Carton size: 35x32.5x34.5cm 84pcs / ctn
WiFi Circuit Breaker / 1P 10A-63A 220V
R 3-AC-C 01-1P



Carton weight: 20.1kg Carton size: 35x32.5x34.5cm 60pcs / ctn
WiFi Circuit Breaker / 2P 10A-63A 220V
R 3-AC-C 01-2P



Carton weight: 19.8kg Carton size: 39.5x32.5x35.5cm 48pcs / ctn
WiFi Circuit Breaker / 3P 10A-63A 220V
R 3-AC-C 01-3P



Carton weight: 24.3kg Carton size: 39.8x39.5x35.5cm 48pcs / ctn

WiFi Circuit Breaker / 4P 10A-63A 220V

R 3-AC-C 01-4P

Smart Control Panels

06

Smart control panels, scene buttons and wearable remotes for centralized, one-touch scene control.

27 MODELS



Smart Scene Control / 3 24H Monitoring & Guard / 4 Waterproof IP68
Tuya Bluetooth Smart Watch 1.69 / 1Built-in ALEXA Voice Assistant / 2
BW-GT 5S




Smart Scene Control / 3 24H Monitoring & Guard / 4 Waterproof IP68
Tuya Bluetooth Smart Watch 1.28 / 1Built-in ALEXA Voice Assistant / 2
BW-V 15S-EN




One-touch Scene Control / 3 Built-in IR Remote Control / Li Battery...
Smart WiFi IR Handheld Controller / 1 One-touch Smart Device Control / 2
CCP-Z 1-WH



49.2x38.3x31.4cm 18pcs / ctn
Unit weight: 785g Unit dimensions: 22x11x8.3cm Carton weight: 15.4kg Carton size:
3 Local Security Guard / 4 Supports Camera & Smart Lock
Desktop Control Panel / 1 HI-FI Speaker / 2 Universal IR Remote Control /
TPL 05-T 1



32.8x32.8x20.3cm 27pcs / ctn
Unit weight: 191g Unit dimensions: 9.5x9.5x5cm Carton weight: 5.75kg Carton size:
Device Control / 2 One-touch Scene Control / 3 3.5" HD LCD Display / 4...
Smart Multi-function Control Panel / Linux Version / 1 One-touch Smart
CCP-S 01-EU



Unit weight: 226g Unit dimensions: 9.5x9.5x7cm
Switch Buttons / 3 Built-in Tomato Timer Alarm
Smart Knob Control Panel / 1 Knob Control / 2 3-ch Relay & 4-ch Custom
CCP-S 03-EU



Unit weight: 226g Unit dimensions: 9.5x9.5x7cm
Switch Buttons / 3 Built-in Tomato Timer Alarm
Smart Knob Control Panel / 1 Knob Control / 2 3-ch Relay & 4-ch Custom
CCP-S 05-EU



36.5x25.5x20cm 12pcs / box
Unit weight: 247g Unit dimensions: 11x11x7.5cm Carton weight: 3.5kg Carton size:
One-touch Smart Device Control / 2 One-touch Scene Control / 3 4" HD...
Smart Multi-function Control Panel / Built-in Alexa / Linux Version / 1
CCP-TY-EU-LN



Unit weight: 253g Unit dimensions: 11x11x5.7cm
One-touch Smart Device Control / 3 One-touch Scene Control / 4...
Smart Temp Control Panel / 1 Supports Water Heating & Boiler / 2
CCP-HT-GAC



49.8x32.7x24.3cm Qty...
Product size: 14.8x9.3x4.9cm Product gross weight: 0.359kg Outer carton size:
One-touch Smart Device Control / 2 One-touch Scene Control / 3 5" HD...
Smart Multi-function Control Panel / Built-in Alexa / Linux Version / 1
CCP-US-AVS



Product size: 915g Unit dimensions: 28.2x17.8x6.2cm
Smart Device Control / 2 One-touch Scene Control / 3 5" HD LCD Displa...
Smart Multi-function Music Control Panel / Built-in Alexa / 1 One-touch
CCP-S 02-UN



Qty...
Package size: 32.2x22.4x7.1cm Outer carton size: 49.5x36x27cm Unit weight: 1.58kg
One-touch Smart Device Control / 3 One-touch Scene Control / 4...
Smart Temp Control Panel / 1 Supports Water Heating & Boiler / 2
CCP-TY 10

XINGLIAO
image available on request

scene link...
Color: Grey / White / Black Supports Tuya APP QR binding / smart home control / connects & plays music via BT speakers. / 2. BT RX: Phone finds host vi... Bluetooth Combo: TX + RX function / 1. BT TX: Host finds BT speakers / **F5-1 (Tuya Gateway Control)**

XINGLIAO
image available on request

scene link...
Color: Grey / White / Black Supports Tuya APP QR binding / smart home control / connects & plays music via BT speakers. / 2. BT RX: Phone finds host vi... Bluetooth Combo: TX + RX function / 1. BT TX: Host finds BT speakers / **F5-3 (Tuya Gateway Control)**

XINGLIAO
image available on request

scene link...
Color: Grey / White / Black Supports Tuya APP QR binding / smart home control / connects & plays music via BT speakers. / 2. BT RX: Phone finds host vi... Bluetooth Combo: TX + RX function / 1. BT TX: Host finds BT speakers / **F5-4 (Tuya Gateway Control)**



control / scene link / music
Color: Black / White (MOQ 50pcs) Supports Tuya APP QR binding / smart home connects & plays music via BT speakers. / 2. BT RX: Phone finds host vi... Bluetooth Combo: TX + RX function / 1. BT TX: Host finds BT speakers / **86N-2**

XINGLIAO
image available on request

/ music
Color: Black / White Supports Tuya APP QR binding / smart home control / scene link connects & plays music via BT speakers. / 2. BT RX: Phone finds host vi... Bluetooth Combo: TX + RX function / 1. BT TX: Host finds BT speakers / **86N-4**




Scheduled reboot Supports 485 / MODBUS ...
Tuya ZIGBEE 8-key switch: 4-ch scene / 4-ch lighting Scheduled music playback connects & plays music via BT speakers. / 2. BT RX: Phone finds host vi... Bluetooth Combo: TX + RX function / 1. BT TX: Host finds BT speakers / **F4**



485 Protocol: External input...
Color: Grey Supports Tuya APP QR binding / smart home control / scene link / music connects & plays music via BT speakers. / 2. BT RX: Phone finds host vi...
Bluetooth Combo: TX + RX function / 1. BT TX: Host finds BT speakers /
F6-1 (Tuya)



485 Protocol: External input...
Color: Grey Supports Tuya APP QR binding / smart home control / scene link / music connects & plays music via BT speakers. / 2. BT RX: Phone finds host vi...
Bluetooth Combo: TX + RX function / 1. BT TX: Host finds BT speakers /
F6-2 (Tuya)



485 Protocol: External input...
Color: Grey Supports Tuya APP QR binding / smart home control / scene link / music connects & plays music via BT speakers. / 2. BT RX: Phone finds host vi...
Bluetooth Combo: TX + RX function / 1. BT TX: Host finds BT speakers /
F7MAX (Tuya)



supports 4 speakers
Note: 1. Choose single 86 box (keep relay or music) / 2. Dual-86 music back case / connects & plays music via BT speakers. / 2. BT RX: Phone finds host vi...
Bluetooth Combo: TX + RX function / 1. BT TX: Host finds BT speakers /
F8-1 (Tuya)



supports 4 speakers
Note: 1. Choose single 86 box (keep relay or music) / 2. Dual-86 music back case / connects & plays music via BT speakers. / 2. BT RX: Phone finds host vi...
Bluetooth TX / RX: Choose one / 1. BT TX: Host finds BT speakers /
F10 (Tuya)



supports 4 speakers
Note: 1. Choose single 86 box (keep relay or music) / 2. Dual-86 music back case / connects & plays music via BT speakers. / 2. BT RX: Phone finds host vi...
Bluetooth TX / RX: Choose one / 1. BT TX: Host finds BT speakers /
F12PRO (Tuya)



485 Protocol: External input...

Color: Grey Supports Tuya APP QR binding / smart home control / scene link / music host speakers.

Bluetooth RX: Phone finds host via BT / connects & plays phone music via **Q7**



Color: Black Supports Tuya APP QR binding / smart home control / scene link... host speakers.

Bluetooth RX: Phone finds host via BT / connects & plays phone music via **Q10**



485 Protocol: External input...

Color: Grey Supports Tuya APP QR binding / smart home control / scene link / music host speakers.

Bluetooth RX: Phone finds host via BT / connects & plays phone music via **Q10PRO**

Video Doorbells, Cameras & Pet Care

07

WiFi video doorbells, indoor / outdoor cameras, baby monitors, video cat eyes, pet feeders and smart curtain motors.

202 MODELS



100 m (open space) 4: Material: ABS+PC
1:CR2032 Battery 2: Operating frequency 433.92MHZ 3: Remote control distance
Bluetooth wireless doorbell
433 Wireless Doorbell (M-01)



100 m (open space) 4: Material: ABS+PC
1:CR2032 battery 2: Operating frequency 433.92MHZ 3: Remote control distance
Bluetooth wireless ding-dong doorbell
433 Wireless Doorbell (L11)



100 m (open space) 4: Material: ABS+PC
1:CR2032 Battery 2: Operating frequency 433.92MHZ 3: Remote control distance
Bluetooth wireless doorbell
433 Wireless Doorbell (M-02)



Angle / Resolution ultra-clear...
Mobile phone video intercom: supported Effective pixels: 300 / 000 / 120deg wide
Graffiti tuya Smart Ding Dong Doorbell grey / white
W11 Black/Silver



pixels: 2 million pixels...
Mobile phone video intercom: supported Waterproof: IP65 life waterproof / Effective
Graffiti tuya Smart Ding Dong Doorbell
W15 Black/Silver



pixels...
Mobile phone video intercom: supported Waterproof: None Effective pixels: 2 million
Graffiti tuya Smart Ding Dong Doorbell
W6 black/Silver



pixels: Diagonally 167 (horizontally 138) V...
Mobile phone video intercom: supported Screen size: 1080P / IR-CUT Effective
Graffiti tuy a Smart Video Doorbell
W1 black/Silver



pixels: Diagonal 149deg (horizontal 118) Vi...
Mobile phone video intercom: supported Screen size: 1080P / IR-CUT Effective
Graffiti tuy a Smart Video Doorbell
W2 black/Silver



Diagonal 167deg (horizontal 138) Viewing Ang...
Mobile phone video intercom: supported Screen size: 1080P Effective pixels:
Graffiti tuy a Smart Ding Dong Doorbell
W5 Black (dual-band wifi)



Diagonal 149deg (horizontal 118) Viewing Ang...
Mobile phone video intercom: Supported Screen size: 1080P Effective pixels:
Graffiti tuy a Smart Ding Dong Doorbell
W3 Black



Diagonal 149deg (horizontal 118) Viewing Ang...
Mobile phone video intercom: supported Screen size: 1080P Effective pixels:
Graffiti tuy a Smart Ding Dong Doorbell
W7 Black (dual-band WiFi)



Diagonal 149deg (horizontal 118) Viewi...
Mobile phone video intercom: None Screen size: 1 million pixels Effective pixels:
Graffiti tuy a Smart Video Doorbell
SF550 Silver



120deg Viewing Angle: Yes Infrared nig...
 Mobile phone video intercom: None Screen size: 300 / 000 pixels Effective pixels:
 Grafitti tuya Smart Video Doorbell
DD2 Silver



90deg Viewing Angle: Yes Infrared nigh...
 Mobile phone video intercom: None Screen size: 300 / 000 pixels Effective pixels:
 Grafitti tuya Smart Video Doorbell
DD3 Black



90deg Viewing Angle: Yes Infrared nigh...
 Mobile phone video intercom: None Screen size: 300 / 000 pixels Effective pixels:
 Grafitti tuya Smart Video Doorbell
DD1 Gold/Silver



90deg Viewing Angle: Yes Infrared nigh...
 Mobile phone video intercom: None Screen size: 300 / 000 pixels Effective pixels:
 Grafitti tuya Smart Video Doorbell
DD3S Black



140deg diagonal...
 Mobile phone video intercom: None Screen size: 300 / 000 pixels Effective pixels:
 Grafitti tuya Smart Video Doorbell
DD4S Black



VIDEO DOORBELL + RAINPROOF COVER
 Auto-switchable 850nm infrared fill light...
 Resolution: 720*1280 / 1 Megapixel Viewing Angle: 90deg Night Vision:
 Solar Long-Life Video Doorbell
xl-xd1



doorbell battery + 400mAh screen battery...
Visual Smart Video Doorbell with 4.5-inch color indoor monitor 1000mAh outdoor
Wireless Video Doorbell Without Internet
xl-xd2



speaker / camera...
Item: Visual Smart Doorbell Material: ABS raw material / PCBA / polymer battery /
Wire Free Video Doorbell / No Internet Required
x6-xd3



polymer battery / speaker / camera...
Single Product Name: Visual Smart Doorbell Material: ABS raw material / PCBA /
Video Doorbell Without Network Required
x6-xd4



polymer battery / speaker / camera...
Single Product Name: Visual Smart Doorbell Material: ABS raw material / PCBA /
Wire Free Video Doorbell / No Wi Fi Required
xl-xd5



polymer battery / speaker / camera...
Single Product Name: Visual Smart Doorbell Material: ABS raw material / PCBA /
Wire Free Video Doorbell / No Wi Fi Needed
xl-xd6



polymer battery / speaker / camera...
Single Product Name: Visual Smart Doorbell Material: ABS raw material / PCBA /
Wire Free Video Doorbell / No Wi Fi Required
xl-xd7



*LCD: 4.3-inch HD / * With high-definition digital chip / * Human body sensing...

Video doorbell with motion detection

4.3-inch screen QR-08



* Easy to operate: Button to see...

*LCD: 2.8-inch HD * With high-definition digital chip / * Wide-angle lens: 120 degrees

Video doorbell

2.8-inch QR-07



* Easy to operate: Button to see t...

*LCD: 3 inches HD * With high-definition digital chip / * Wide-angle lens: 120 degrees

Video doorbell

3-inch screen QR-01



* Easy to operate: Button to see...

*LCD: 2.4-inch HD * With high-definition digital chip / * Wide-angle lens: 120 degrees

Video doorbell

2.4-inch QR-35



Human body sensing...

*LCD: 4.3-inch HD *1080P 2 million pixels * With a high-definition digital chip / *

WIFI Video cat eye (ubox /)

4.3 inch QR-038

视频通话 可视智能猫眼

WiFi连接 | 手机远程 | 双向对讲 | 高清摄像头 | 实时监测



Human body sensing...

*LCD: 4.3-inch HD *1080P 2 million pixels * With a high-definition digital chip / *

WIFI Video cat eye (ubox)

4.3 inch QR-039



1. 4.3 UK IPS480*272 2: 70-degree view 3: Doorbell / two-way intercom 4:DC5V...
2.4G wireless doorbell
2.4G wireless doorbell



70-degree view 5 Material: ABS+PC
1: Free cloud 2: Photo and Video Night Vision 3: Doorbell / remote video intercom 4:
Doorbell + Camera (R4)
X2(V720)



Rated Power: 45W Max Load: 50 60kg Protection...
Model: CM82 zigbee(tuya) Wireless Frequency: 2.4G / 433MHz Max Width: 12m
Tuya curtain motor 1.2 Nm wifi
XL-



Tuya curtain motor 2.0 Nm wifi
XL-



supports ODM...
clear view day & night with automatic night vision to protect baby around the clock /
Baby Monitor
XL-b1



on the rear headrest...
keep an eye on your child from the front seat / HD camera with night vision mounted
Car Baby Monitor
XL-b1



(auto-switch infrared) / two-way audio...
1. 1080P HD live view with upgraded motion detection / enhanced night vision
Window-Mounted Monitor
XL-b1



4MP (2.5K HD)
TUYA-D21-4MP-5G
xl-x1



4MP (2.5K HD)
TV-AKTY-Q25-4MP / 3W
xl-x2



2MP (1080P)
TV-XMTY-632-2MP / (with Night Light Camera)
xl-x31



3MP (2K HD)
TV-XMTY-632-3MP-5G / (with Night Light Camera)
xl-x32



2MP (1080P)
TV-XMTY-631-2MP / (One-touch Call PTZ Camera)
xl-x012



3MP (2K HD)
TV-XMC-C13B-3MP / (Starlight-level Window Camera)
xl-x013



3MP (2K HD)
TV-XMTYC-Q26B-3MP-5G / (Starlight 5G Dual-band Window Camera)
xl-x014

XINGLIAO
image available on request

TV-XMTYC-Q26H-3MP-5G / (Starlight 5G Dual-band Window Camera)
xl-x015



2MP (1080P HD)
TV-XMTYC-Q02-2MP
xl-q11

XINGLIAO
image available on request

3MP (2K HD)
TV-XMTYC-Q02-3MP-5G
xl-q12



2MP (1080P HD)
TV-XMTYC-Q12-2MP
xl-q21

XINGLIAO
image available on request

3MP (2K HD)
TV-XMTYC-Q12-3MP-5G
xl-q22



2MP (1080P HD)
TV-XMTYC-C32-2MP
xl-q23

XINGLIAO
image available on request

3MP (2K HD)
TV-XMTYC-C32-3MP-5G
xl-q24



2MP (1080P HD)
TV-XMTYC-C25-2MP
xl-q25

XINGLIAO
image available on request


3MP (2K HD)
TV-XMTYC-C25-3MP-5G
xl-q26



2MP (1080P HD)
TV-6026HE-TYW(4+2)-7PD / (7" Screen Private-mold 4-ch 2MP WiFi Kit)
XL-x1320



TV-6026HE-TYW(4+4)-7PD / (7" Screen Private-mold 4-ch 2MP WiFi Kit)
XL-x1321



AK330L-SC2335 (2MP)
TV-TY238-AK-2MP / (Screen Color Picker)
XL-12



2MP (1080P HD)
TV-XMTY-P01-2MP
XL-a25



2MP (1080P)
TV-XMTYQ26-2MP / (Telescopic Rotating Bracket Card Camera)
XL-a26

XINGLIAO
image available on request

3MP (2K HD)
TV-XMTYQ26-3MP-5G / (Telescopic Rotating Bracket Card Camera)
XL-a27

XINGLIAO
image available on request

4MP (2.5K HD) Supports Onvif Protocol
TV-XMTYQ26-4MP / (Telescopic Rotating Bracket Card Camera)
XL-a28



3MP (2K HD)
TV-XMTY-629-3MP-5G
XL-a29



TV-XMTY-630-3MP-5G
XL-a30



2MP (1080P)
TV-XMTYC-268-2MP
XL-h31

XINGLIAO
image available on request

3MP (2K HD)
TV-XMTYC-268-3MP-5G
XL-h32

XINGLIAO
image available on request

4MP (2.5K HD) Supports Onvif Protocol
TV-XMTYC-268-4MP
XL-h33

XINGLIAO
image available on request

2MP (1080P)
TV-XMTYC-628-2MP
XL-h104



3MP (2K HD)
TV-XMTYC-628-3MP-5G
XL-h105



4MP (2.5K HD) Supports Onvif Protocol
TV-XMTYC-628-4MP
XL-h106



2MP (1080P)
Big Eye / TV-XMTYC-308-2MP
XL-h127



3MP (2K HD)
Big Eye / TV-XMTYC-308-3MP-5G
XL-h128



4MP (2.5K HD) Supports Onvif Protocol
Big Eye / TV-XMTYC-308-4MP
XL-h129



2MP (1080P)
Globe / TV-XMTYC-638-2MP
XL-h130



3MP (2K HD)
Globe / TV-XMTYC-638-3MP-5G
XL-h131

XINGLIAO
image available on request

4MP (2.5K HD) Supports Onvif Protocol
Globe / TV-XMTYC-638-4MP
XL-h132



2MP (1080P)
TV-XMTYC-Q11-2MP
XL-g221



3MP (2K HD)
TV-XMTYC-Q11-3MP-5G
XL-g222

XINGLIAO
image available on request

2MP (1080P)
TV-XMTYC-Q09-2MP
XL-g223



3MP (2K HD)
TV-XMTYC-Q05-3MP
XL-g224

XINGLIAO
image available on request

4MP (2.5K HD) Supports Onvif Protocol
TV-XMTYC-Q05-4MP
XL-g225



4MP (2.5K HD) Supports Onvif Protocol
TV-XMTYQ35-4MP / (Includes power adapter & 2m Type-C cable)
xxd-202



4MP (2.5K HD) Supports Onvif Protocol
TV-XMTYQ32-4MP
xxd-203



3MP (2K HD)*2
TV-XMTY-Q24-3MP-M2 / (Dual-lens Gun-ball Indoor Camera)
xxd-204



3MP (2K HD)*2
TV-XMTY-Q56-3MP-M2 / (Dual-lens Gun-ball Outdoor Dome Camera)
xxd-205



3MP (2K HD)*2
TV-XMTY-Q29-3MP-M2 / (Dual-lens Gun-ball Outdoor Dome Camera)
xxd-206



2MP (1080P)
WiFi Kit)
TV-6026HEC-TYW(8+4)-10PD / (10.1" Screen Private-mold 4-ch 2MP
XL-990



3MP (2K HD)
Dome Kit)
TV-C05HF-TYW(8+4)-10PD / (10.1" Screen Private-mold 4-ch 3MP WiFi
XL-991



3MP (2K HD)
TV-XMTYC-C05-3MP-5G / (Includes power adapter & 2m Type-C cable)
X10-12

XINGLIAO
image available on request

4MP (2.5K HD) Supports Onvif Protocol
TV-XMTYC-C05-4MP-5V / (Includes power adapter & 2m Type-C cable)
X10-13



4MP (2.5K HD) Supports Onvif Protocol
TV-XMTYC-C01-4MP
X10-14

XINGLIAO
image available on request

TV-XMTYC-C02-4MP
X10-15



TV-XMTYC-C03-4MP
X10-16




TV-XMTYC-C04-4MP
X10-17



TV-XMTYC-C05-4MP
X10-18



TV-XMTYC-C06-4MP
X10-19



4MP (2.5K HD) Supports Onvif Protocol
TV-XMTYC-9825F-4MP
X10-20



XM530Ai+F37 (1080P)
Garden Light Camera TV-TY298-XM-2MP
WD-221



XM530Ai+Q03 (Real 3MP)
Garden Light Camera TV-TY298-XM-3MP
WD-222



Z1-3MP 5G
Tuya / Smart Life
WD-223



SQ001-2MP
Tuya / Smart Life
XW-202



SQ001-6MP 5G
Tuya / Smart Life
XW-203



SQ001-8MP 5G
Tuya / Smart Life
XW-204



Q22-2MP
Tuya / Smart Life
XW-215



Q22-6MP 5G
Tuya / Smart Life
XW-216



Q22-8MP 5G
Tuya / Smart Life
XW-217



SQ002-2MP
Tuya / Smart Life
XW-1201



SQ002-6MP 5G
Tuya / Smart Life
XW-1202



SQ002-8MP 5G
Tuya / Smart Life
XW-1203



Q12-3MP
Tuya / Smart Life
XW-1204



Q12-3MP 5G
Tuya / Smart Life
XW-1205



Q12-5MP
Tuya / Smart Life
XW-1206



Q12-8MP 5G
Tuya / Smart Life
XW-1207



Q21S-3MP
Tuya / Smart Life
XW-1208



Q21S-3MP 5G
Tuya / Smart Life
XW-1209



Q21S-5MP
Tuya / Smart Life
XW-1210

XINGLIAO

image available on request

Q21S-8MP 5G

Tuya / Smart Life

XW-1211



Y1C-3MP

Tuya / Smart Life

XW-1212



Y1C-3MP 5G

Tuya / Smart Life

XW-1213

XINGLIAO

image available on request

Y1C-5MP

Tuya / Smart Life

XW-1214

XINGLIAO

image available on request

Y1C-8MP 5G

Tuya / Smart Life

XW-1215



Y2C-3MP

Tuya / Smart Life

XW-1216



Y2C-3MP 5G
Tuya / Smart Life
XW-1217

XINGLIAO
image available on request

Y2C-5MP
Tuya / Smart Life
XW-1218

XINGLIAO
image available on request

Y2C-8MP 5G
Tuya / Smart Life
XW-1219



Y3C-3MP
Tuya / Smart Life
XW-1220



Y3C-3MP 5G
Tuya / Smart Life
XW-1221



Y3C-5MP
Tuya / Smart Life
XW-1222



Y05-3MP
Tuya / Smart Life
XW-1223



Q16S-3MP
Tuya / Smart Life
XW-1224



Q16S-3MP 5G
Tuya / Smart Life
XW-1225

XINGLIAO
image available on request

Q16S-5MP
Tuya / Smart Life
XW-1226

XINGLIAO
image available on request

Q16S-8MP 5G
Tuya / Smart Life
XW-1227

XINGLIAO
image available on request

Tuya Outdoor waterproofing Camera
Tuya Outdoor waterproofing Camera



SC10-6MP 5G
Tuya / Smart Life
xl-D101



SC10-8MP 5G
Tuya / Smart Life
xl-D102



SC11-6MP 5G
Tuya / Smart Life
xl-D103



SC11-8MP 5G
Tuya / Smart Life
xl-D104



SC12-2MP
Tuya / Smart Life
xl-D105



SC12-6MP 5G
Tuya / Smart Life
xl-D106



SC12-8MP 5G
Tuya / Smart Life
xl-D107



SC13-6MP 5G
Tuya / Smart Life
xl-D108



SC13-8MP 5G
Tuya / Smart Life
xl-D109



S5-4MP
Tuya / Smart Life
xl-D110



C6-3MP
Tuya / Smart Life
xl-D111

XINGLIAO
image available on request

C6-3MP 5G
Tuya / Smart Life
xl-D112

XINGLIAO

image available on request

C6-5MP

Tuya / Smart Life

xl-D113

XINGLIAO

image available on request

C6-8MP 5G

Tuya / Smart Life

xl-D114



C9T-2MP

Tuya / Smart Life

xl-D115



C9-3MP

Tuya / Smart Life

xl-D116

XINGLIAO

image available on request

C9-5MP

Tuya / Smart Life

xl-D117

XINGLIAO

image available on request

C9-8MP 5G

Tuya / Smart Life

xl-D118



C18-3MP
Tuya / Smart Life
xl-D119

XINGLIAO
image available on request

C18-5MP
Tuya / Smart Life
xl-D120

XINGLIAO
image available on request

C18-8MP 5G
Tuya / Smart Life
xl-D121



C16T-2MP
Tuya / Smart Life
xl-D122



C17-3MP
Tuya / Smart Life
xl-D123

XINGLIAO
image available on request

C17-5MP
Tuya / Smart Life
xl-D124



C17-8MP
Tuya / Smart Life
xl-D125



B1-4MP
Tuya / Smart Life
xl-D126



Q11-5MP
Tuya / Smart Life
xl-D127

XINGLIAO
image available on request

Tuya Outdoor waterproofing Solar Camera
Tuya Outdoor waterproofing Solar Camera



Q06-8MP-WIFI
Tuya / Smart Life
DS707



Q06-8MP-4G
Tuya / Smart Life
DS708

XINGLIAO
image available on request

Q06-8MP-4G-EU
Tuya / Smart Life
DS709

tuya

Q02-8MP-WIFI
Tuya / Smart Life
DS710



Q02-8MP-4G
Tuya / Smart Life
DS711

XINGLIAO
image available on request

Q02-8MP-4G-EU
Tuya / Smart Life
DS712

tuya

Q02-8MP-4G-NA
Tuya / Smart Life
DS713



DC07
Tuya / Smart Life
DS714



Q03-3MP
Tuya / Smart Life
DS715



Q01-3MP-WIFI
Tuya / Smart Life
DS716



Q01-3MP-4G
Tuya / Smart Life
DS717

XINGLIAO
image available on request

Q01-3MP-4G-EU
Tuya / Smart Life
DS718



Q05-3MP-WIFI
Tuya / Smart Life
DS719



Q05-3MP-4G
Tuya / Smart Life
DS720

XINGLIAO
image available on request

Q05-3MP-4G-EU
Tuya / Smart Life
DS721

XINGLIAO
image available on request

Q05-3MP-4G-NA
Tuya / Smart Life
DS722



clean water fountain dispenser...
automatic feeder with scheduled portion control for regular feeding / combined with a
Pet Feeder & Water Dispenser Set
XL-329



clean water fountain dispenser...
automatic feeder with scheduled portion control for regular feeding / combined with a
Pet Feeder & Water Dispenser Set 2.2L
XL-329



Remote Feeding: Feed remotely from anywhere...
APP TUYA: Smart Life Wi-Fi: Bluetooth pairing / dual-band 2.4G & 5G compatible
Smart Circulating Pet Water Fountain
XL-330



Remote Feeding: Feed remotely from anywhere...
APP TUYA: Smart Life Wi-Fi: Bluetooth pairing / dual-band 2.4G & 5G compatible
Double Bowl Pet Feeder / WiFi Smart Model / Without Camera
XL-1099



Remote Feeding: Feed remotely from anywhere...
APP TUYA: Smart Life Wi-Fi: Bluetooth pairing / dual-band 2.4G & 5G compatible
Double Bowl Pet Feeder / WiFi Smart Model / Without Camera
XL-1100



Remote Feeding: Feed remotely from anywhere...
APP TUYA: Smart Life Wi-Fi: Bluetooth pairing / dual-band 2.4G & 5G compatible
> Tuya WiFi Smart Pet Feeder with Video CameraAlibaba.co
XL-1101



Remote Feeding: Feed remotely from anywhere...
APP Control: Supported Wi-Fi: Bluetooth pairing / dual-band 2.4G & 5G compatible
Double Bowl Pet Feeder / WiFi Smart Model / Without Camera
XL-1811



Remote Feeding: Feed remotely from anywhere...
APP Control: Supported Wi-Fi: Bluetooth pairing / dual-band 2.4G & 5G compatible
Double Bowl Pet Feeder / WiFi Smart Model / Without Camera
XL-1812




network pairing...
Video Resolution: 3MP / 2K APP Control: Supported Wi-Fi Connection: Bluetooth
Double Bowl Pet Feeder / Smart Model / WiFi Video Call
XL-1813



5-12mm diameter) Key Lock Function: Support...
Basic Model DU-F05K Suitable Pet Food: Dry kibble (recommended particle size:
Single Bowl Pet Feeder / Basic Model / Without Camera
XL-1611



without distance limit...
 APP Control: Supported Remote Feeding: Available for remote feeding anywhere
 Single Bowl Pet Feeder / WiFi Smart Model / Without Camera
XL-1612



tilt) Wi-Fi Connection: Bluetooth pairin...
 Video Resolution: 3MP / 2K / camera with smart motion detection (50deg downward
 Single Bowl Pet Feeder / Smart Model / WiFi Video Call
XL-1613




Water Fountain / Basic Version / 3600mAh
XL-1311



Pet Water Fountain / Basic Version / 5200mAh
XL-1312



Pet Water Fountain / WiFi Smart Version / 3600mAh
XL-1321



Pet Water Fountain / WiFi Smart Version / 5200mAh
XL-1322



night vision Supports TF card storage...
3 million high-definition network cameras Two-way voice intercom Smart Infrared
wifi detector feeder

XL-A23



to 256GB)...
3 million HD webcam Support gimbal rotation (vertical) Support TF card storage (up
wifi timed feeder

XL-A24



voice / Anti-jamming design...
* Timed and quantified auto-feeding / The pet owner calls the meal in the original
version -4L
Wide-angle cat and dog pet feeder) 3 million pixels (2K HD) / Video
XL-Q4



voice / Anti-jamming design...
* Timed and quantified auto-feeding / The pet owner calls the meal in the original
version -6L

Wide-angle cat and dog pet feeder) 3 million pixels (2K HD) / Video
XL-Q6



Anti-dry-burning motor...
* Pet-specific water dispensers / * Infinite circulation of running water / *
Pet water dispenser

XL-S2



Supports TF card storage...
8 million HD 4K webcam Two-way voice intercom Smart Infrared night vision
Bird feeder 8 million HD 4K network camera

XL-1



clear and fine images...

* Window-attached simple version of the bird watch / * 3 million resolution / low light / (Easy Bird Watch) 3 million pixels (2K HD)

XL-49



battery / * Add methods: Bluetooth...

* IP66-rated waterproof low-power outdoor camera with built-in 4000mA certified TV-AKTY-Q40-4MP / (Smart Birdwatcher) 4 million pixels (2.5K HD)

XL-35



motion detection...

* Device scan to add / wifi fast connection / * Supports voice monitoring / intercom / (2K HD)
TV-XMTY-Q36-3MP / (Visible wooden bird hatching house) 3 million pixels
XL-33



Device scan add...

* IP66 waterproof low-power outdoor camera with built-in 5000mA certified battery / * TV-TY-Q20-2MP / (Birdcage feeder) 2 million pixels (1080P)

XL-25

Smart Switches

08

Tuya WiFi smart switches — EU / UK / US / AU / BR standards, in touch, glass, mechanical and modular series.

253 MODELS



:100-240VAC 50 / 60Hz :WiFi :3500W : / : 86 * 86 * 35mm :106*100*51mm : 219g
Standard / UK Standard / China National Standard (GB) / Dual-Pole...
New Product Plastic Frame + AG Skin-Feel Frosted 2.5D Glass European
DS-107NWN



Peak Power: 400W Standard Colors: White /...
Input Voltage: 100-240VAC / 50 / 60Hz Network Mode: Wave Gesture (Contactless)
/ China National Standard (GB) / ure Wave Gesture Switch / 1. Wave...
Single-Wire & Neutral-Wire Compatible European Standard / UK Standard
DS-101KQL




Standard Colors: White...
Input Voltage: 100-240VAC / 50 / 60Hz Network Mode: WiFi Peak Power: 400W
Neutral-WireCompatible When wiring to a single-live (no-neutral) circuit /...
WiFi Wave Gesture Switch Relay Version / Single-Wire &
DS-101KWL



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 4000W
WIFI Touch Switch High-power Water Heater (20A)
(New product) European Standard / British Standard / National Standard
DS161



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 4000W
REGULATIONS / NATIONAL STANDARD WIFI BUTTON SWITCH...
(NEW PRODUCT) EUROPEAN REGULATIONS / BRITISH
DS-102BWN



8000W Regular color: white / black...
Input voltage: 100-240VAC 50 / 60Hz Internet connection mode: WiFi Rated power:
REGULATIONS / NATIONAL STANDARD WIFI TOUCH SWITCH...
(NEW PRODUCT) EUROPEAN REGULATIONS / BRITISH
DS-101DWN



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 8000W
WIFI key switch large Power water heater (40A)
(New product) European standard / British standard / national standard
DS-102DWN



fan General color: white / black...
Input voltage: 100-240VAC 50 / 60Hz Networking mode: WiFi maximum load: 150W /
/ timing / countdown / electricity statistics / 2. Local minimum wind speed...
(New) European / British and national standards / WIFI touch fan switch / 1
DS-1014



Fan / 600W / GangGeneral color: white...
Input voltage: 100-240VAC 50 / 60Hz Networking mode: WiFi maximum load: 150W /
/ timing / countdown / electricity statistics / 2. Local minimum wind speed...
(New) European / British and national standards / WIFI touch fan switch / 1
DS-1016-1



Fan / 600W / GangGeneral color: white...
Input voltage: 100-240VAC 50 / 60Hz Networking mode: WiFi maximum load: 150W /
/ timing / countdown / electricity statistics / 2. Local minimum wind speed...
(New) European / British and national standards / WIFI touch fan switch / 1
DS-1016-2




Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 600W
Touch Switch (WiFi + Bluetooth) Dual-mode Zero Fire Edition
European Standard / British Standard / National Standard Universal WIFI
DS-101BW-1



600W Regular color: white / black...
Input voltage: 100-240VAC 50 / 60Hz Internet connection mode: WiFi Rated power:
Touch Switch (WiFi + Bluetooth) Dual-mode Zero Fire Edition
European Standard / British Standard / National Standard Universal WIFI
DS-101BW-2



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 600W
touch switch (WiFi + Bluetooth) dual-mode zero-fire version
European standard / British standard / national standard universal WIFI
DS-101BW-3



600W Regular color: white / black...
Input voltage: 100-240VAC 50 / 60Hz Internet connection mode: WiFi Rated power:
Touch Switch (WiFi + Bluetooth) Dual-mode Zero Fire Edition
European Standard / British Standard / National Standard Universal WIFI
DS-101BW-4



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 5-400W
(single fire zero fire universal relay) connection The single fire wire need...
European standard / British standard / national standard WIFI touch switch
DS-101JL-1



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 5-400W
Switch (Single Fire Zero Fire General Relay) The single fire wire needs t...
European Standard / British Standard / National Standard WIFI Touch
DS-101JL-2



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 5-400W
Switch (Single Fire Zero Fire General Relay) The single fire wire needs t...
European Standard / British Standard / National Standard WIFI Touch
DS-101JL-3



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 5-400W
Switch (Single Fire Zero Fire General Relay) The single fire wire needs t...
European Standard / British Standard / National Standard WIFI Touch
DS-101JL-4



color: brushed gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 600W Glass
British standard / national standard WiFi touch switch (zero fire line)
(New product: brushed aluminum border switch) European standard /
DS-101ASW-1



600W Glass color: brushed gold...
Input voltage: 100-240VAC 50 / 60Hz Internet connection mode: WiFi Rated power:
British standard / national standard WiFi touch switch (zero fire line)
(New product: brushed aluminum border switch) European standard /
DS-101ASW-2



color: brushed gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 600W Glass
British standard / national standard WiFi touch switch (Zero Fire Line)
(New product: brushed aluminum frame switch) European standard /
DS-101ASW-3



600W Glass color: gold...
Input voltage: 100-240VAC 50 / 60Hz Internet connection mode: WiFi Rated power:
British standard / national standard WiFi touch switch (zero fire line)
(New product: brushed aluminum border switch) European standard /
DS-101ASW-4



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 4000W
2.5D glass + plastic edge WIFI touch switch High-power water heater...
(New product) European standard / British standard / national standard
DS-107BWN



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 8000W
2.5D Glass + Plastic Edge WIFI Touch Switch High Power Water Heater...
(New product) European Standard / British Standard / National Standard
DS-107DWN



600W Regular color: white / black...
 Input voltage: 100-240VAC 50 / 60Hz Internet connection mode: WiFi Rated power:
 Glass + Plastic Edge WIFI Touch Switch (WiFi + Bluetooth) Dual-mode...
 European Standard / British Standard / National Standard Universal 2.5D
DS-1071WN-1



Regular color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 600W
 WIFI touch switch (WiFi + Bluetooth) dual Model Zero Fire Edition
 European / British / national standard universal 2.5D glass + plastic edge
DS-1071WN-2



600W Regular color: white / black...
 Input voltage: 100-240VAC 50 / 60Hz Internet connection mode: WiFi Rated power:
 Glass + Plastic Edge WIFI Touch Switch (WiFi + Bluetooth) Dual-mode...
 European Standard / British Standard / National Standard Universal 2.5D
DS-1071WN-3



Regular color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 600W
 WIFI touch switch (WiFi + Bluetooth) dual Model Zero Fire Edition
 European / British / national standard universal 2.5D glass + plastic edge
DS-1071WN-4



Regular color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 5-400W
 Plastic Edge WIFI Touch Switch (Single Fire Zero Fire General Relay) T...
 European Standard / British Standard / National Standard 2.5D Glass +
DS-1071WL-1



Regular color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 5-400W
 Plastic Edge WIFI Touch Switch (Single Fire Zero Fire General Relay) T...
 European Standard / British Standard / National Standard 2.5D Glass +
DS-1071WL-2



Regular color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 5-400W
 Plastic Edge WIFI Touch Switch (Single Fire Zero Fire General Relay) T...
 European Standard / British Standard / National Standard 2.5D Glass +
DS-1071WL-3



Regular color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Internet mode: WiFi Rated power: 5-400W
 Plastic Edge WIFI Touch Switch (Single Fire Zero Fire General Relay) T...
 European Standard / British Standard / National Standard 2.5D Glass +
DS-1071WL-4



power: 3-600 W Glass Color: White...
 Input voltage: 100-240VAC 50 / 60Hz Network connection mode: ZigBee Rated
 standard ZigBee touch switch (ZigBee single-fire zero-fire universal / no...
 (2.5D glass + plastic edge) European standard / British standard / national
DS-1071ZC-1



power: 3-600 W Glass Color: White...
 Input voltage: 100-240VAC 50 / 60Hz Network connection mode: ZigBee Rated
 standard ZigBee touch switch (ZigBee single-fire zero-fire universal / no...
 (2.5D glass + plastic edge) European standard / British standard / national
DS-1071ZC-2



Glass color: white...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 3-600W
 standard ZigBee touch switch (ZigBee single-fire zero-fire universal / no...
 (2.5D glass + plastic edge) European standard / British standard / national
DS-1071ZC-3



General color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Networking mode: WiFi rated power: 600W
 physical large key switch (WiFi+ Bluetooth) dual-mode zero fire version
 European standard / British standard and national standard universal WIFI
DS-1081WN-1




General color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Networking mode: WiFi rated power: 600W
physical large key switch (WiFi+ Bluetooth) dual-mode zero fire version
European standard / British standard and national standard universal WIFI
DS-1081WN-2



General color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Networking mode: WiFi rated power: 600W
physical large key switch (WiFi+ Bluetooth) dual-mode zero fire version
European standard / British standard and national standard universal WIFI
DS-1081WN-3



General color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Networking mode: WiFi rated power: 600W
physical large key switch (WiFi+ Bluetooth) dual-mode zero fire version
European standard / British standard and national standard universal WIFI
DS-1081WN-4



General color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Networking mode: WiFi rated power: 500W
(single-fire and zero-fire universal relays) need to be connected to the fir...
European / British and national standard WIFI large key switches
DS-1081WL-1



General color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Networking mode: WiFi rated power: 500W
(single-fire and zero-fire universal relays) need to be connected to the fir...
European / British and national standard WIFI large key switches
DS-1081WL-2



General color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Networking mode: WiFi rated power: 500W
(single-fire and zero-fire universal relays) need to be connected to the fir...
European / British and national standard WIFI large key switches
DS-1081WL-3



General color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Networking mode: WiFi rated power: 500W
(single-fire and zero-fire universal relays) need to be connected to the fir...
European / British and national standard WIFI large key switches
DS-1081WL-4



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 600W
physical key switch (WiFi + Bluetooth) dual-mode zero-fire version
European standard / British standard / national standard universal WIFI
DS-102-1



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 600W
Physical Button Switch (WiFi + Bluetooth) Dual-mode Zero Fire Edition
European Standard / British Standard / National Standard Universal WIFI
DS-102-2



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 600W
Physical Button Switch (WiFi + Bluetooth) Dual-mode Zero Fire Edition
European Standard / British Standard / National Standard Universal WIFI
DS-102-3



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Connection mode: WiFi Rated power: 500W
fire general relay model) The single fire wire needs to be connected to th...
European / British / national standard WIFI button switch (single fire zero
DS-102JL-1



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 500W
(single fire zero fire general relay) To connect a single firewire / you nee...
European standard / British standard / national standard WIFI key switch
DS-102JL-2



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Connection mode: WiFi Rated power: 500W
Switch (Single Fire Zero Fire General Relay) The single fire wire needs t...
European Standard / British Standard / National Standard WIFI Button
DS-102JL-3



1800W Regular color: white / black...
Input voltage: 100-240VAC 50 / 60Hz Internet connection mode: WiFi Rated power:
touch switch (control electric curtain / rolling curtain / rolling gate / etc.)
European standard / British standard / national standard WIFI curtain
DS151



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 150W
Touch Switch (Lamps Must Be Dimmable Lamps)
European Standard / British Standard / National Standard WIFI Dimming
DS-171



General color: white Product size: 86 * 86 *...
Input voltage: 100-240VAC 50 / 60Hz Networking mode: WiFi peak current: 13A
universal plug / smart plug
(New) European / British and national standards / WIFI (PC) 5-hole
DS-1589WN



General color: white Product size: 86 * 86 *...
Input voltage: 100-240VAC 50 / 60Hz Networking mode: WiFi peak current: 13A
universal plug smart plug with A+C interface.
(New) European / British and national standards / WIFI (PC) 5-hole
DS-158FWN



Regular color: white...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Peak current: 13A
plug-in smart socket
(New product) British regulations / national standard WIFI 5-hole universal
DS-1539WN



Regular color: white...
 Input voltage: 100-240VAC 50 / 60Hz Connection mode: WiFi Peak current: 13A
 plug-in smart socket with two USB interfaces
 (New product) British standard / national standard WIFI 5-hole universal
DS-1530WN



Regular color: white...
 Input voltage: 100-240VAC 50 / 60Hz Connection mode: WiFi Peak current: 13A
 universal plug smart plug with two USB ports.
 (New) British Standard and National Standard / (Straight) WIFI 5-hole
DS-157FWN



Regular color: white...
 Input voltage: 100-240VAC 50 / 60Hz Connection mode: WiFi Peak current: 13A
 5-hole universal plug smart plug with A+C interface.(New) British Standard...
 (New) British Standard and National Standard / 2.5D glass+plastic WIFI
DS-153FWN



Regular color: white...
 Input voltage: 100-240VAC 50 / 60Hz Connection mode: WiFi Peak current: 13A
 smart plug with A+C interface.
 (New) British Standard and National Standard / (Straight) WIFI 3-hole plug
DS-151FWN



Regular color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 3000W
 Standard / Australian Standard / Italian / Canadian / Brazilian / Vietnamese...
 New Product Plastic Frame + AG Skin-Feel Frosted 2.5D Glass US
DS-127NWN




(Contactless)Rated Power: 400W Standard Colors: White / ...
 Input Voltage: 100-240VAC / 50 / 60Hz Network Mode: Wave Gesture
 Vietnamese / Thai Pure Wave Gesture Switch / 1. Wave switch - wave...
 US Standard / Australian Standard / Italian / Canadian / Brazilian /
DS-121KQL



Standard Colors: White...
Input Voltage: 100-240VAC / 50 / 60Hz Network Mode: WiFi Rated Power: 400W
Vietnamese / Thai WiFi Wave Gesture Switch / 1. Wave switch - wave...
US Standard / Australian Standard / Italian / Canadian / Brazilian /
DS-121KWL



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 4000W
Canadian / Brazilian / Vietnamese / Thai Water Heater WiFi Touch Wate...
(New Product) American Standard / Australian Standard / Italian /
DS-162



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 8000W
Canadian / Brazilian / Vietnamese / Thai Water Heater WiFi Touch Wate...
(New Product) American Standard / Australian Standard / Italian /
DS-121DWN



1800W Regular color: white / black...
Input voltage: 100-240VAC 50 / 60Hz Internet connection mode: WiFi Rated power:
Thailand Curtain WiFi touch switch (control electric curtains / roller shutt...
U.S. regulations / Australian regulations / Italy / Canada / Brazil / Vietnam /
DS-152



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 600W
Canada / Brazil / Vietnam / Thailand Dimming WiFi touch switch (the la...
(New product) American regulations / Australian regulations / Italy /
DS-172



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 600W
Thailand WIFI touch switch (WiFi + Bluetooth dual-mode) zero-fire version
U.S. regulations / Australian regulations / Italy / Canada / Brazil / Vietnam /
DS-121BW-1



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Connection mode: WiFi Rated power: 600W*2
Thailand WIFI touch switch (WiFi + Bluetooth dual-mode) zero-fire version
U.S. regulations / Australian regulations / Italy / Canada / Brazil / Vietnam /
DS-121BW-2



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 600W *3
Vietnam / Thailand WIFI touch switch (WiFi + blue Tooth double-mode)...
American regulations / Australian regulations / Italy / Canada / Brazil /
DS-121BW-3



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 600W*4
Thailand WIFI touch switch (WiFi + Bluetooth dual-mode) zero-fire version
U.S. regulations / Australian regulations / Italy / Canada / Brazil / Vietnam /
DS-121BW-4



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Connection mode: WiFi Rated power: 500W
Thailand WiFi touch switch (single fire and zero fire universal relay mode...
U.S. regulations / Australian regulations / Italy / Canada / Brazil / Vietnam /
DS-121JL-1



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 500W*2
Vietnam / Thailand WiFi touch switch (single fire zero fire universal relay...
American regulations / Australian regulations / Italy / Canada / Brazil /
DS-121JL-2



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 500W*3
Thailand WiFi touch switch (single fire and zero fire universal relay mode...
U.S. regulations / Australian regulations / Italy / Canada / Brazil / Vietnam /
DS-121JL-3




Regular color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Connection mode: WiFi Rated power: 500W*4
 Thailand WiFi touch switch (single fire and zero fire universal relay mode...
 U.S. regulations / Australian regulations / Italy / Canada / Brazil / Vietnam /
DS-121JL-4



Regular color: white Product size: 120*70*37mm...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 1200W
 Vietnam / Thailand WIFI button switch
 American regulations / Australian regulations / Italy / Canada / Brazil /
DS-122



Regular color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 1200W*2
 Thailand WIFI button switch (double cover)
 U.S. regulations / Australian regulations / Italy / Canada / Brazil / Vietnam /
DS-122-S



Regular color: white Product size: 165*115*3...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 1200W*3
 Thailand WIFI button switch (triple cover)
 U.S. regulations / Australian regulations / Italy / Canada / Brazil / Vietnam /
DS-122-T



Regular color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Internet mode: WiFi Rated power: 1200W*4
 Thailand WIFI button switch (quadruple cover)
 U.S. regulations / Australian regulations / Italy / Canada / Brazil / Vietnam /
DS-122-F



Regular color: white Product size: 120 * 70 * ...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 1200W
 Vietnam / Thailand with face cover WIFI touch all the way switch
 American regulations / Australian regulations / Italy / Canada / Brazil /
DS-123-1



Regular color: white Product size: 120 * 70 *...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 600W*2
 Thailand with face cover / WIFI touch two-way switch
 U.S. regulations / Australian regulations / Italy / Canada / Brazil / Vietnam /
DS-123-2




Regular color: white Product size: 120 * 70 *...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 600W*3
 Thailand with face cover WIFI touch three-way switch
 U.S. regulations / Australian regulations / Italy / Canada / Brazil / Vietnam /
DS-123-3




Rated Power: 600W Available Colors: White...
 Model: DS-1431WN-4 Input Voltage: 90-265VAC / 50 / 60Hz Connectivity: WiFi
 East / with Energy Monitoring & Child Lock
 147-Size Touch Switch / WiFi 4-Gang Switch - Ideal for Pakistan & Middle
XL-1431WN



Rated Power: 600W Available Colors: White /...
 Model: DS-1432WN-4 Input Voltage: 90-265VAC / 50 / 60Hz Connectivity: zigbee
 Middle East / with Energy Monitoring & Child Lock
 147-Size Touch Switch / zigbee 4-Gang Switch - Ideal for Pakistan &
XL-1432ZN



Rated Power: 600W Available Colors: White /...
 Model: DS-1433WN-6 Input Voltage: 90-265VAC / 50 / 60Hz Connectivity: zigbee
 Middle East / with Energy Monitoring & Child Lock
 147-Size Touch Switch / zigbee 4-Gang Switch - Ideal for Pakistan &
XL-1433ZN



Power: 600W Available Colors: White...
 Model: DS-1434WN-6 Input Voltage: 90-265VAC / 50 / 60Hz Connectivity: wifi Rated
 East / with Energy Monitoring & Child Lock
 147-Size Touch Switch / WiFi 6-Gang Switch - Ideal for Pakistan & Middle
XL-1434WN



General color: white...
Input voltage: 90-265VAC 50 / 60Hz networking mode: WiFi Rated power: 600W
East) has power statistics and a child lock.
147-size touch switch WIFI 6-way switch (suitable for Pakistan Middle
DS-1431WN



zigbee Rated power: 600W General color: wh...
product model:DS-1431ZN-6 Input voltage: 90-265VAC 50 / 60Hz networking mode:
East) has power statistics and a child lock.
147-size touch switch zigbee 6-way switch (suitable for Pakistan Middle
DS-1431ZN



WiFi Rated power: 600W General color: whit...
product model:DS-1431WN-8 Input voltage: 90-265VAC 50 / 60Hz networking mode:
East) has power statistics and a child lock.
147-size touch switch WIFI 8-way switch (suitable for Pakistan Middle
DS-1438WN



zigbee Rated power: 600W General color: wh...
product model:DS-1431ZN-8 Input voltage: 90-265VAC 50 / 60Hz networking mode:
East) has power statistics and a child lock.
147-size touch switch zigbee 8-way switch (suitable for Pakistan Middle
DS-1438ZN



General color: white...
Input voltage: 90-265VAC 50 / 60Hz networking mode: WiFi Rated power: 600W
Middle East) has power statistics and a child lock. / (Support multi-contr...
147-size touch switch WiFi 4-way touch switch+fan (suitable for Pakistan
DS-1436WN



General color: white...
Input voltage: 90-265VAC 50 / 60Hz networking mode: WiFi Rated power: 600W
switch+fan (suitable for Pakistan Middle East) has electricity statistics an...
2.5D glass+plastic frame 147-size touch switch WiFi 4-way touch
DS-14A6WN



WiFi Rated power: 600W General color: whit...
product model:DS-14A1WN-6 Input voltage: 90-265VAC 50 / 60Hz networking mode:
(suitable for Pakistan Middle East) has power statistics and a child lock.
2.5D glass+plastic frame 147-size touch switch WIFI 6-way switch
DS-14A54WN



WiFi Rated power: 600W General color: whit...
product model:DS-14A1WN-8 Input voltage: 90-265VAC 50 / 60Hz networking mode:
(suitable for Pakistan Middle East) has power statistics and a child lock.
2.5D glass+plastic frame 147-size touch switch WIFI 8-way switch
DS-14A55WN



zigbee Rated power: 600W General color: wh...
product model:DS-14A1ZN-6 Input voltage: 90-265VAC 50 / 60Hz networking mode:
(suitable for Pakistan Middle East) has power statistics and a child lock.
2.5D glass+plastic frame 147-size touch switch ZigBee 6-way switch
DS-14A2ZN



zigbee Rated power: 600W General color: wh...
product model:DS-14A1ZN-8 Input voltage: 90-265VAC 50 / 60Hz networking mode:
(suitable for Pakistan Middle East) has power statistics and a child lock.
2.5D glass+plastic frame 147-size touch switch ZigBee 8-way switch
DS-14A3ZN



plug 13A / two total 20A...
Input voltage: 100-240VAC 50 / 60Hz networking mode: WiFi peak current: single
system in Latin America and the Middle East) has power statistics / a chi...
147-size smart plug WIFI universal hole with USB+tepyc (suitable for Baki
DS-1450WN



plug 13A / two total 20A...
Input voltage: 100-240VAC 50 / 60Hz networking mode: zigbee peak current: single
Baki system in Latin America and the Middle East) has power statistics /...
147-size smart plug ZigBee universal hole with USB+tepyc (suitable for
DS-1450ZN



plug 13A / two total 20A...
Input voltage: 100-240VAC 50 / 60Hz networking mode: zigbee peak current: single
Baki system in Latin America and the Middle East) has power statistics /...
2.5D glass+plastic frame WIFI universal hole with USB+tepyc (suitable for
DS-1460WN



plug 13A / two total 20A...
Input voltage: 100-240VAC 50 / 60Hz networking mode: zigbee peak current: single
for Baki system in Latin America and the Middle East) has power statisti...
2.5D glass+plastic frame ZigBee universal hole with USB+tepyc (suitable
DS-1460ZN



600W+ single plug 13A General color: white...
Input voltage: 100-240VAC 50 / 60Hz networking mode: WiFi current: 4 switches
East) has power statistics and a child lock.
147-size WIFI 4-way switch+universal socket (suitable for Pakistan Middle
DS-1437WN



600W+ single plug 13A General color: whi...
Input voltage: 100-240VAC 50 / 60Hz networking mode: zigbee current: 4 switches
Middle East) has power statistics and a child lock.
147-size ZigBee 4-way switch+universal socket (suitable for Pakistan
DS-1437ZN




600W+ single plug 13A General color: white...
Input voltage: 100-240VAC 50 / 60Hz networking mode: wifi current: 4 switches
(suitable for Pakistan Middle East) has power statistics and a child lock.
2.5D glass+plastic frame / 147-size WIFI 4-way switch+universal socket
DS-1467WN



600W+ single plug 13A General color: whi...
Input voltage: 100-240VAC 50 / 60Hz networking mode: zigbee current: 4 switches
(suitable for Pakistan Middle East) has power statistics and a child lock.
2.5D glass+plastic frame / 147-size ZigBee 4-way switch+universal socket
DS-1467ZN




Regular color: white...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 5-400W
 model) To connect a single firewire / you need to connect a capacitor at...
 Brazilian regulation (4-way) WIFI touch switch (single-fire universal relay
DS-1611WL-4



Regular color: white...
 Input voltage: 100-240VAC 50 / 60Hz Internet mode: WiFi Rated power: 5-400W
 general relay model) The single fire wire needs to be connected to the fir...
 Brazilian regulation (6 routes) WIFI touch switch (single fire zero fire
DS-1611WL-6



Regular color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 3-600W
 Standard ZigBee Touch Switch (ZigBee Single Fire Zero Fire Universal /...
 (Magnetic Relay) European Standard / British Standard / National
DS-1011ZC-1



*2 Regular color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 3-600W
 Standard ZigBee Touch Switch (ZigBee Single Fire Zero Fire Universal /...
 (Magnetic Relay) European Standard / British Standard / National
DS-1011ZC-2



power: 3-600 W *3 Regular color: white...
 Input voltage: 100-240VAC 50 / 60Hz Network connection mode: ZigBee Rated
 Standard ZigBee Touch Switch (ZigBee Single Fire Zero Fire Universal /...
 (Magnetic Relay) European Standard / British Standard / National
DS-1011ZC-3



Regular color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 3-600W
 key switch (ZigBee single fire zero fire Yes / no need to connect the...
 (Magnetic retention relay) European standard / national standard ZigBee
DS-1021ZC-1




power: 3-600 W *2 Regular color: white...
 Input voltage: 100-240VAC 50 / 60Hz Network connection mode: ZigBee Rated
 Switch (ZigBee Single Fire Zero Fire Universal / No Capacitor)
 (Magnetic Relay) European Standard / National Standard ZigBee Button
DS-1021ZC-2



*3 Regular color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 3-600W
 key switch (ZigBee single fire zero fire Yes / no need to connect the...
 (Magnetic retention relay) European standard / national standard ZigBee
DS-1021ZC-3



power: 3-600 W Glass Color: White...
 Input voltage: 100-240VAC 50 / 60Hz Network connection mode: ZigBee Rated
 British Standard / National Standard ZigBee Touch Switch (ZigBee Singl...
 (Magnetic Relay: High-end Aluminum Border Switch) European Standard /
DS-1041ZC-1



Glass color: white...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 3-600W
 standard / British standard / national standard ZigBee touch switch...
 (Magnetic retention relay: high-grade aluminum frame switch) European
DS-1041ZC-2




Glass color: white...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 3-600W
 British Standard / National Standard ZigBee Touch Switch (ZigBee Singl...
 (Magnetic Relay: High-end Aluminum Border Switch) European Standard /
DS-1041ZC-3




Glass color: brushed gold...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 3-600W
 British Standard / National Standard ZigBee Touch Switch (ZigBee Singl...
 (Magnetic Relay: Brushed Glass Aluminum Border) European Standard /
DS-1042ZC-1



Glass color: brushed gold...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 3-600W
 British Standard / National Standard ZigBee Touch Switch (ZigBee Singl...
 (Magnetic Relay: Brushed Glass Aluminum Border) European Standard /
DS-1042ZC-2



Glass color: brushed gold...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 3-600W
 British Standard / National Standard ZigBee Touch Switch (ZigBee Singl...
 (Magnetic Relay: Brushed Glass Aluminum Border) European Standard /
DS-1042ZC-3




Regular color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 4000W
 ZigBee High Power Water Heater Touch Switch (20A)
 (New product) European Standard / British Standard / National Standard
DS-161Z



Glass color: white...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 4000W
 British Standard / National Standard ZigBee High Power Water Heater...
 (New Product: High-end Aluminum Border Switch) European Standard /
DS-161ZAW




power: 4000W Regular color: white / black...
 Input voltage: 100-240VAC 50 / 60Hz Network connection mode: ZigBee Rated
 ZigBee Button Switch High-power Water Heater (20A)
 (New product) European Standard / British Standard / National Standard
DS-102BZN



Regular color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 8000W
 ZigBee High-power water heater touch switch (40A)
 (New product) European standard / British standard / national standard
DS-101DZN



Glass color: white...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 8000W
 British standard / national standard ZigBee high-power water heater touch...
 (New product: high-end aluminum border switch) European standard /
DS-106DZN



Regular color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 8000W
 ZigBee Button Switch High Power Water Heater (40A)
 (New product) European Standard / British Standard / National Standard
DS-102DZN



Regular color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 600W
 Switch (Zero Wire)
 European Standard / British Standard / National Standard ZigBee Touch
DS-111-1



Regular color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 600W
 Switch (Zero Wire)
 European Standard / British Standard / National Standard ZigBee Touch
DS-111-2



Regular color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 600W
 Switch (Zero Wire)
 European Standard / British Standard / National Standard ZigBee Touch
DS-111-3



Regular color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 600W
 Switch (Zero Wire)
 European Standard / British Standard / National Standard ZigBee Touch
DS-111-4



Glass color: white...
Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 600W
British standard / national standard ZigBee touch switch (Zero Fire Line)
(New product: high-end aluminum frame switch) European standard /
DS-111AW-1



Glass color: white...
Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 600W
British standard / national standard ZigBee touch switch (zero fire line)
(New product: high-end aluminum border switch) European standard /
DS-111AW-2



Glass color: white...
Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 600W
British standard / national standard ZigBee touch switch (Zero Fire Line)
(New product: high-end aluminum frame switch) European standard /
DS-111AW-3



Glass color: white...
Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 600W
British standard / national standard ZigBee touch switch (zero fire line)
(New product: high-end aluminum border switch) European standard /
DS-111AW-4



Glass color: gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 600W
British Standard / National Standard ZigBee Touch Switch (Zero Wire)
(New Product: Brushed Aluminum Border Switch) European Standard /
DS-1110AW-1




Glass color: gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 600W
British Standard / National Standard ZigBee Touch Switch (Zero Wire)
(New Product: Brushed Aluminum Border Switch) European Standard /
DS-1110AW-2



Glass color: gold...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 600W
 British Standard / National Standard ZigBee Touch Switch (Zero Wire)
 (New Product: Brushed Aluminum Border Switch) European Standard /
DS-1110AW-3



Glass color: gold...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 600W
 British standard / national standard ZigBee touch switch (Zero Fire Line)
 (New product: brushed aluminum frame switch) European standard /
DS-1110AW-4



Regular color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 600W
 Switch (Zero Wire)
 European Standard / British Standard / National Standard ZigBee Button
DS-112-1



Regular color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 600W*2
 Switch (Zero Wire)
 European Standard / British Standard / National Standard ZigBee Button
DS-112-2



Regular color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 600W*3
 Switch (Zero Wire)
 European Standard / British Standard / National Standard ZigBee Button
DS-112-3



Product size: 86 * 86 * 35mm Package size:...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: Zigbee Regular color: white
 (New) Zigbee European Standard Touch Scenario Panel Switch
DS-101CNZ



Regular color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 1800W
 Touch Switch
 European Standard / British Standard / National Standard zigbee Curtain
DS-151Z



Regular color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Connection mode: ZIGBEE Peak current: 13A
 universal plug-in smart socket
 (New product) British standard / national standard ZIGBEE 5-hole
DS-1539ZN



Regular color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Connection mode: ZIGBEE Peak current: 13A
 plug-in smart socket with two USB interfaces
 (New product) British and national standard ZIGBEE 5-hole universal
DS-1530ZN



Regular color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 3-600W
 Brazil / Vietnam / Thailand ZigBee Touch Switch (ZigBee Single Fire Zer...
 (Magnetic Relay) U.S. Standard / Australian Standard / Italy / Canada /
DS-1211ZC-1



Regular color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 3-600W
 Brazil / Vietnam / Thailand ZigBee Touch Switch (ZigBee Single Fire Zer...
 (Magnetic Relay) U.S. Standard / Australian Standard / Italy / Canada /
DS-1211ZC-2




0W Regular Color: White / Black / Gold...
 Input voltage: 100-240VAC 50 / 60Hz Connection mode: ZigBee Rated power: 3-60
 Brazil / Vietnam / Thailand ZigBee Touch Switch (ZigBee Single Fire Zer...
 (Magnetic Relay) U.S. Standard / Australian Standard / Italy / Canada /
DS-1211ZC-3



Regular color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 4000W
 Canada / Brazil / Vietnam / Thailand ZigBee Water heater touch switch...
 (New product) American regulations / Australian regulations / Italy /
DS-162Z



Glass color: white...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 4000W
 Australian Standard / Italy / Canada / Brazil / Vietnam / Thailand ZigBee...
 (New Product: High-end Aluminum Border Switch) U.S. Standard /
DS-162ZV



power: 8000 W Regular color: white / black...
 Input voltage: 100-240VAC 50 / 60Hz Network connection mode: ZigBee Rated
 Brazil / Vietnam / Thailand ZigBee water heater touch switch (40A)
 (New product) U.S. regulations / Australian regulations / Italy / Canada /
DS-121DZN



Glass color: white...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 8000W
 Australian regulation / Italy / Canada / Brazil / Vietnam / Thailand ZigBee...
 (New product: high-end aluminum frame switch) American regulation /
DS-126DZN



Regular color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 600W
 Thailand ZigBee touch switch (zero line)
 U.S. regulations / Australian regulations / Italy / Canada / Brazil / Vietnam /
DS-124-1



Regular color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 600W
 Vietnam / Thailand ZigBee touch switch (Zero Fire Line)
 American regulations / Australian regulations / Italy / Canada / Brazil /
DS-124-2



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 600W
Vietnam / Thailand ZigBee touch switch (zero fire line)
American regulations / Australian regulations / Italy / Canada / Brazil /
DS-124-3



Glass color: white...
Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 600W
Thailand ZigBee touch switch (zero line)
U.S. regulations / Australian regulations / Italy / Canada / Brazil / Vietnam /
DS-124-4



black Border color: gold / silver...
Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Glass color: white /
Australian regulations / Italy / Canada / Brazil / Vietnam / Thailand ZigBe...
(New product: high-end aluminum border switch) U.S. regulations /
DS-124AW-1



Color Border Color: Gold...
Input voltage: 100-240VAC 50 / 60Hz Internet mode: ZigBee glass color: white / black
Australian regulations / Italy / Canada / Brazil / Vietnam / Thailand ZigBe...
(New product: high-grade aluminum frame switch) American regulations /
DS-124AW-2



black Border color: gold / silver...
Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Glass color: white /
Australian regulations / Italy / Canada / Brazil / Vietnam / Thailand ZigBe...
(New product: high-grade aluminum frame switch) American regulations /
DS-124AW-3



black Border color: gold / silver...
Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Glass color: white /
Australian regulations / Italy / Canada / Brazil / Vietnam / Thailand ZigBe...
(New product: high-end aluminum border switch) U.S. regulations /
DS-124AW-4



Regular color: white Product size: 120 * 70...
Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 1200W
Thailand ZigBee button switch
U.S. regulations / Australian regulations / Italy / Canada / Brazil / Vietnam /
DS-125



power: 1200 W Regular color: white Product siz...
Input voltage: 100-240VAC 50 / 60Hz Network connection mode: ZigBee Rated
Thailand touch Zibee face cover switch
U.S. regulations / Australian regulations / Italy / Canada / Brazil / Vietnam /
DS-126-1



Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Rated power: 600W...
American standard touch Zibee cover switch
DS-126-2



Gateway
Gateway



Product Size: 64 * 64 * 14mm Package Size: 68*...
Battery Specification: 5V 1A Network Mode: ZigBee Appearance Color: White
ZigBee wireless smart gateway
TYGWZ-02



Product Size: 90 * 90 * 22mm Package Size: 92*...
Battery Specification: 5V 1A Network Mode: ZigBee Appearance Color: White
ZigBee wired gateway
TYGWZ-01



Regular color: white Product size: 120mm*30...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 1000W *2
 American standard socket (one drag and two ends) + shelf splint
 (New product: The selling point is exclusive with splint) WiFi intelligent
DS-2211W1



Regular color: white Product size: 120mm*30...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 1000W *2
 two ends)
 (New product) WiFi intelligent American standard socket (one drag and
DS-2211W11



Regular color: white Product size: L54*W54*H52m...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Peak current: 16A
 U.S. Wi-Fi socket (single plug)
DS-2021WN



Regular color: white Product size: L57.5*W57.5*...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Peak current: 16A
 British Wi-Fi socket (single plug)
DS-2011WN



Regular color: white Product size: L48*W48*H73m...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Peak current: 16A
 European Standard Wi-Fi Socket (Single Plug-in) Measurement
DS-2001WN



Regular color: white Product size: 4 7.3 * 4...
 Input voltage: 100-240VAC 50 / 60Hz Connection mode: WiFi Rated power: 400W
 fire zero fire universal relay model) (graffiti APP)
 (Industry's first innovation) Single fire zero-fire general power off (single
DS-1321WL




Regular color: white Product size: 41 * 41 * 20...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Peak current: 16A
 (graffiti APP)
 Mini Zero Fire Breaker Universal (can be put into the switch dark box)
DS-1311WN



Regular color: white Product size: 41 * 41 *...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: ZigBee Peak current: 16A
 switch box)
 ZIGBEE zero-fire breaker is universal in the world (can be put into the
DS-1311ZN



Regular color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Peak current: 13A
 plug-in smart socket (HomeKit direct connection)
 (New product) British standard / national standard WIFI 5-hole universal
DS-1539HN




Regular color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Peak current: 13A
 plug-in smart socket with two USB interfaces (HomeKit direct connection)
 (New product) British standard / national standard WIFI 5-hole universal
DS-1530HN




Regular color: white Product size: 41 * 41 * 20...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Peak current: 16A
 direct connection)
 Mini zero-fire breaker is universal (can be put into the switch box) (Homekit)
DS-1311HN



Regular color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 4000W
 WIFI touch switch Power water heater (Homekit direct connection) (20A)
 (New product) European standard / British standard / national standard
DS161HK



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 8000W
WIFI Touch Switch High Power Water Heater (Homekit Direct Connectio...
(New product) European Standard / British Standard / National Standard
DS-101DHN



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 4000W
REGULATIONS / NATIONAL STANDARD WIFI BUTTON SWITCH...
(NEW PRODUCT) EUROPEAN REGULATIONS / BRITISH
DS102BWNHK



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 600W
Touch Switch (WiFi + Bluetooth) Dual-mode Zero Fire Edition
European Standard / British Standard / National Standard Universal WIFI
DS-101BWHK-1




Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 600W
Touch Switch (WiFi + Bluetooth) Dual-mode Zero Fire Edition
European Standard / British Standard / National Standard Universal WIFI
DS-101BWHK-2



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 600W
Touch Switch (WiFi + Bluetooth) Dual-mode Zero Fire Edition
European Standard / British Standard / National Standard Universal WIFI
DS-101BWHK-3



600W Regular color: white / black...
Input voltage: 100-240VAC 50 / 60Hz Internet connection mode: WiFi Rated power:
Touch Switch (WiFi + Bluetooth) Dual-mode Zero Fire Edition
European Standard / British Standard / National Standard Universal WIFI
DS-101BWHK-4



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 5-400W
(single fire zero fire universal relay) connection The single fire wire need...
European standard / British standard / national standard WIFI touch switch
DS-101JLHK-1



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 5-400W
Switch (Single Fire Zero Fire General Relay) The single fire wire needs t...
European Standard / British Standard / National Standard WIFI Touch
DS-101JLHK-2



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Internet mode: WiFi Rated power: 5-400W
Switch (Single Fire Zero Fire General Relay) The single fire wire needs t...
European Standard / British Standard / National Standard WIFI Touch
DS-101JLHK-3



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 5-400W
Switch (Single Fire Zero Fire Universal Relay) Order The firewire needs...
European Standard / British Standard / National Standard WIFI Touch
DS-101JLHK-4



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 600W
Physical Button Switch (WiFi + Bluetooth) Dual-mode Zero Fire Edition
European Standard / British Standard / National Standard Universal WIFI
DS-102HK-1



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 600W
Physical Button Switch (WiFi + Bluetooth) Dual-mode Zero Fire Edition
European Standard / British Standard / National Standard Universal WIFI
DS-102HK-2

XINGLIAO
image available on request

Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 600W
Physical Button Switch (WiFi + Bluetooth) Dual-mode Zero Fire Edition
European Standard / British Standard / National Standard Universal WIFI
DS-102HK-3

XINGLIAO
image available on request


Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Connection mode: WiFi Rated power: 500W
fire general relay model) The single fire wire needs to be connected to th...
European / British / national standard WIFI button switch (single fire zero
DS-102JLHK-1

XINGLIAO
image available on request


Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 500W
(single fire zero fire general relay) To connect a single firewire / you nee...
European standard / British standard / national standard WIFI key switch
DS-102JLHK-2

XINGLIAO
image available on request

Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 500W
Switch (Single Fire Zero Fire General Relay) The single fire wire needs t...
European Standard / British Standard / National Standard WIFI Button
DS-102JLHK-3



2000-4000W (100-200v) Regular color: white...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power:
Canadian / Brazilian / Vietnamese / Thai Water Heater WiFi Touch Wate...
(New Product) American Standard / Australian Standard / Italian /
DS-162HK



4000-800 0W (100-200v) Regular color: white...
Input voltage: 100-240VAC 50 / 60Hz Connection mode: WiFi Rated power:
Canadian / Brazilian / Vietnamese / Thai Water Heater WiFi Touch Wate...
(New Product) American Standard / Australian Standard / Italian /
DS-121DHN



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 600W
Vietnam / Thailand WIFI touch switch (WiFi + Bluetooth) Dual-mode) Zer...
American regulations / Australian regulations / Italy / Canada / Brazil /
DS-121BWHK-1



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 600W*2
Thailand WIFI touch switch (WiFi + Bluetooth dual-mode) zero-fire version
U.S. regulations / Australian regulations / Italy / Canada / Brazil / Vietnam /
DS-121BWHK-2



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 600W *3
Thailand WIFI touch switch (WiFi + Bluetooth dual-mode) zero-fire version
U.S. regulations / Australian regulations / Italy / Canada / Brazil / Vietnam /
DS-121BWHK-3



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 600W*4
Thailand WIFI touch switch (WiFi + Bluetooth dual-mode) zero-fire version
U.S. regulations / Australian regulations / Italy / Canada / Brazil / Vietnam /
DS-121BWHK-4




Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 500W
Brazil / Vietnam / Thailand WiFi touch switch (single fire and zero fire...
(New product) U.S. regulations / Australian regulations / Italy / Canada /
DS-121JLHK-1



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 500W*2
Brazil / Vietnam / Thailand WiFi touch switch (single fire and zero fire...
(New product) U.S. regulations / Australian regulations / Italy / Canada /
DS-121JLHK-2



Regular color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 500W*3
 Brazil / Vietnam / Thailand WiFi touch switch (single fire and zero fire...
 (New product) U.S. regulations / Australian regulations / Italy / Canada /
DS-121JLHK-3



Regular color: white / black / gold...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 400W*4
 Brazil / Vietnam / Thailand WiFi touch switch (single fire and zero fire...
 (New product) U.S. regulations / Australian regulations / Italy / Canada /
DS-121JLHK-4




Regular color: white Product size: 120 * 70 * 3...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 600W
BRAZIL / VIETNAM / THAILAND WIFI BUTTON SWITCH
US REGULATIONS / AUSTRALIAN REGULATIONS / ITALY / CANADA /
DS-122HK



Regular color: white Product size: 120 * 70 *...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 1200W
 Thailand with face cover WIFI touch all the way switch
 U.S. regulations / Australian regulations / Italy / Canada / Brazil / Vietnam /
DS-123HK-1



Regular color: white Product size: 120 * 7...
 Input voltage: 100-240VAC 50 / 60Hz Connection mode: WiFi Rated power: 600W*2
 Thailand with face cover / WIFI touch two-way switch
 U.S. regulations / Australian regulations / Italy / Canada / Brazil / Vietnam /
DS-123HK-2



Regular color: white Product size: 120 * 70 *...
 Input voltage: 100-240VAC 50 / 60Hz Network mode: WiFi Rated power: 600W*3
 Vietnam / Thailand with face cover WIFI touch three-way switch
 American regulations / Australian regulations / Italy / Canada / Brazil /
DS-123HK-3

XINGLIAO

image available on request

TOUCH switch

TOUCH switch



Regular color: white / black / gold...

Input voltage: 100-240VAC 50 / 60Hz Network mode: pure Rated power: 600W

Touch Switch Zero Fire Edition

European Standard / British Standard / National Standard Universal Pure

DS-104-1

XINGLIAO

image available on request

Regular color: white / black / gold...

Input voltage: 100-240VAC 50 / 60Hz Network mode: pure Rated power: 600W

Touch Switch Zero Fire Edition

European Standard / British Standard / National Standard Universal Pure

DS-104-2

XINGLIAO

image available on request

Regular color: white / black / gold...

Input voltage: 100-240VAC 50 / 60Hz Network mode: pure Rated power: 600W

Touch Switch Zero Fire Edition

European Standard / British Standard / National Standard Universal Pure

DS-104-3

XINGLIAO

image available on request

Regular color: white / black / gold...

Input voltage: 100-240VAC 50 / 60Hz Network mode: pure rated power: 600W

Touch Switch Zero Fire Edition

European Standard / British Standard / National Standard Universal Pure

DS-104-4




Regular color: white / black / gold...

Input voltage: 100-240VAC 50 / 60Hz Network mode: pure Rated power: 4000W


Pure Touch Switch High-power Water Heater (20A)

(New Product) European Standard / British Standard / National Standard

DS104RSQ




Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: pure rated power: 400W
Switch (Single Fire Zero Fire General Relay) The single fire wire needs t...
European Standard / British Standard / National Standard Pure Touch
DS-104JL-1



Regular Color: White / Black / Gold...
Input Voltage: 100-240VAC 50 / 60Hz Network Mode: Pure Rated Power: 400W
Switch (Single Fire Zero Fire General Relay) The single fire wire needs t...
European Standard / British Standard / National Standard Pure Touch
DS-104JL-2



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: pure Rated power: 400W
Switch (Single Fire Zero Fire General Relay) The single fire wire needs t...
European Standard / British Standard / National Standard Pure Touch
DS-104JL-3



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: pure rated power: 400W
Switch (Single Fire Zero Fire General Relay) The single fire wire needs t...
European Standard / British Standard / National Standard Pure Touch
DS-104JL-4



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: pure rated power: 600W
Vietnamese / Thai Pure Touch Switch Zero Fire Line Edition
American Standard / Australian Standard / Italian / Canadian / Brazilian /
DS-129-1




Regular Color: White / Black / Gold...
Input Voltage: 100-240VAC 50 / 60Hz Network Mode: Pure Rated Power: 600W*2
Thailand pure touch switch zero-fire version
U.S. regulations / Australian regulations / Italy / Canada / Brazil / Vietnam /
DS-129-2




Regular Color: White / Black / Gold...
Input voltage: 100-240VAC 50 / 60Hz Connection mode: pure Rated power: 600W *3
Thailand pure touch switch zero-fire version
U.S. regulations / Australian regulations / Italy / Canada / Brazil / Vietnam /
DS-129-3




Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: pure rated power: 600W*4
Vietnam / Thailand Pure touch switch Zero Fire Edition
American regulations / Australian regulations / Italy / Canada / Brazil /
DS-129-4




Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: pure Rated power: 2000W
Brazil / Vietnam / Thailand Water heater Pure touch water heater switch...
(New product) U.S. regulations / Australian regulations / Italy / Canada /
DS-129RSQ




Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: pure rated power: 500W
Brazil / Vietnam / Thailand Pure touch switch (single fire and zero fire...
(New product) U.S. regulations / Australian regulations / Italy / Canada /
DS-129JL-1



500W*2 Regular Color: White / Black...
Input voltage: 100-240VAC 50 / 60Hz Internet connection mode: pure rated power:
Brazil / Vietnam / Thailand Pure touch switch (single fire and zero fire...
(New product) U.S. regulations / Australian regulations / Italy / Canada /
DS-129JL-2




Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: pure rated power: 500W*3
Brazil / Vietnam / Thailand Pure Touch Switch (Single fire and zero fire...
(New Product) American Standard / Australian Standard / Italy / Canada /
DS-129JL-3



Regular color: white / black / gold...
Input voltage: 100-240VAC 50 / 60Hz Network mode: pure rated power: 400W*4
Brazil / Vietnam / Thailand Pure touch switch (single fire and zero fire...
(New product) U.S. regulations / Australian regulations / Italy / Canada /
DS-129JL-4




eWeLink
eWeLink



Conventional Color: White / Black...
Input Voltage: 100-240VAC 50 / 60 Hz Networking Mode: WiFi Rated Power: 4000W
high-power water heater (20A)
(New product) European / British and national standard WIFI touch switch
DS161Y



Conventional Color: White / Black...
Input Voltage: 100-240VAC 50 / 60 Hz Networking Mode: WiFi Rated Power: 4000W
high-power water heater (20A)
(New product) European / British and national standard WIFI key switch
DS102YRSQ



Conventional Color: White / Black / Gold...
Input Voltage: 100-240VAC 50 / 60 Hz Networking Mode: WiFi Rated Power: 600W
+ Bluetooth) dual-mode zero fire version
European / British and national standard universal WiFi touch switch (WiFi
DS-101BY-1



Conventional Color: White / Black / Gold...
Input Voltage: 100-240VAC 50 / 60 Hz Networking Mode: WiFi Rated Power: 600W
+ Bluetooth) dual-mode zero fire version
European / British and national standard universal WiFi touch switch (WiFi
DS-101Y-2



Conventional Color: White / Black / Gold...
Input Voltage: 100-240VAC 50 / 60 Hz Networking Mode: WiFi Rated Power: 600W
+ Bluetooth) dual-mode zero fire version
European / British and national standard universal WiFi touch switch (WiFi
DS-101Y-3



Conventional Color: White / Black / Gold...
Input Voltage: 100-240VAC 50 / 60 Hz Networking Mode: WiFi Rated Power: 600W
+ Bluetooth) dual-mode zero fire version
European / British and national standard universal WiFi touch switch (WiFi
DS-101Y-4



Conventional Color: White / Black / Gold...
Input Voltage: 100-240VAC 50 / 60 Hz Networking Mode: WiFi Rated Power: 400W
British and national standards shall be connected with a capacitor at the...
WIFI touch switch (single fire and zero fire universal relay) in European /
DS-101YJL-1



Conventional Color: White / Black / Gold...
Input Voltage: 100-240VAC 50 / 60 Hz Networking Mode: WiFi Rated Power: 400W
British and national standards should be connected with a capacitor at th...
WIFI touch switch (single fire and zero fire universal relay) in European /
DS-101YJL-2



Conventional Color: White / Black / Gold...
Input Voltage: 100-240VAC 50 / 60 Hz Networking Mode: WiFi Rated Power: 400W
British and national standards should be connected with a capacitor at th...
WIFI touch switch (single fire and zero fire universal relay) in European /
DS-101YJL-3



Conventional Color: White / Black / Gold...
Input Voltage: 100-240VAC 50 / 60 Hz Networking Mode: WiFi Rated Power: 400W
British and national standards should be connected with a capacitor at th...
WIFI touch switch (single fire and zero fire universal relay) in European /
DS-101YJL-4

XINGLIAO
image available on request

Conventional Color: White / Black / Gold...
Input Voltage: 100-240VAC 50 / 60 Hz Networking Mode: WiFi Rated Power: 600W
switch (WiFi + Bluetooth) dual-mode zero fire version
European / British and national standard universal WiFi physical key
DS-102Y-1

XINGLIAO
image available on request

Conventional Color: White / Black / Gold...
Input Voltage: 100-240VAC 50 / 60 Hz Networking Mode: WiFi Rated Power: 600W
switch (WiFi + Bluetooth) dual-mode zero fire version
European / British and national standard universal WiFi physical key
DS-102Y-2

XINGLIAO
image available on request

Conventional Color: White / Black / Gold...
Input Voltage: 100-240VAC 50 / 60 Hz Networking Mode: WiFi Rated Power: 600W
switch (WiFi + Bluetooth) dual-mode zero fire version
European / British and national standard universal WiFi physical key
DS-102Y-3




Conventional Color: White / Black / Gold...
Input Voltage: 100-240VAC 50 / 60 Hz Networking Mode: WiFi Rated Power: 500W
should be connected at the first lamp port of L1 and a capacitor
WIFI key switch (single fire and zero fire universal relay) for single fire wire
DS-102YJL-1




Conventional Color: White / Black / Gold...
Input Voltage: 100-240VAC 50 / 60 Hz Networking Mode: WiFi Rated Power: 500W
should be connected at the first lamp port of L1 and a capacitor
WIFI key switch (single fire and zero fire universal relay) for single fire wire
DS-102YJL-2



Conventional Color: White / Black / Gold...
Input Voltage: 100-240VAC 50 / 60 Hz Networking Mode: WiFi Rated Power: 500W
should be connected at the first lamp port of L1 and a capacitor
WIFI key switch (single fire and zero fire universal relay) for single fire wire
DS-102YJL-3



Conventional Color: White / Black...
Input Voltage: 100-240VAC 50 / 60 Hz Networking Mode: WiFi Rated Power: 4000W
US / Australia / Italy / Canada / Brazil / Vietnam and Thailand
(New product) WiFi touch water heater switch (20A) for water heaters in
DS-162Y



Conventional Color: White / Black / Gold...
Input Voltage: 100-240VAC 50 / 60 Hz Networking Mode: WiFi Rated Power: 600W
USA / Australia / Italy / Canada / Brazil / Vietnam and Thailand
Wi-Fi Touch Switch (WiFi + Bluetooth Dual Mode) Zero FireWire Edition /
DS-121Y-1



Conventional Color: White / Black...
Input Voltage: 100-240VAC 50 / 60 Hz Networking Mode: WiFi Rated Power: 600W*2
USA / Australia / Italy / Canada / Brazil / Vietnam and Thailand
Wi-Fi Touch Switch (WiFi + Bluetooth Dual Mode) Zero FireWire Edition /
DS-121Y-2




3 Conventional Color: White / Black...
Input Voltage: 100-240VAC 50 / 60 Hz Networking Mode: WiFi Rated Power: 600W *
USA / Australia / Italy / Canada / Brazil / Vietnam and Thailand
Wi-Fi Touch Switch (WiFi + Bluetooth Dual Mode) Zero FireWire Edition /
DS-121Y-3



Conventional Color: White / Black...
Input Voltage: 100-240VAC 50 / 60 Hz Networking Mode: WiFi Rated Power: 600W*4
USA / Australia / Italy / Canada / Brazil / Vietnam and Thailand
Wi-Fi Touch Switch (WiFi + Bluetooth Dual Mode) Zero FireWire Edition /
DS-121Y-4




Conventional Color: White / Black / Gold...
Input Voltage: 100-240VAC 50 / 60 Hz Networking Mode: WiFi Rated Power: 500W
in US / Australia / Italy / Canada / Brazil / Vietnam and Thailand needs t...
(New product) WiFi touch switch (single fire and zero fire universal relay)
DS-121YJL-1



Conventional Color: White / Black...
Input Voltage: 100-240VAC 50 / 60 Hz Networking Mode: WiFi Rated Power: 500W*2
in US / Australia / Italy / Canada / Brazil / Vietnam and Thailand needs t...
(New product) WiFi touch switch (single fire and zero fire universal relay)
DS-121YJL-2




Conventional Color: White / Black...
Input Voltage: 100-240VAC 50 / 60 Hz Networking Mode: WiFi Rated Power: 500W*3
in US / Australia / Italy / Canada / Brazil / Vietnam and Thailand needs t...
(New product) WiFi touch switch (single fire and zero fire universal relay)
DS-121YJL-3




Conventional Color: White / Black...
Input Voltage: 100-240VAC 50 / 60 Hz Networking Mode: WiFi Rated Power: 500W*4
in US / Australia / Italy / Canada / Brazil / Vietnam and Thailand needs t...
(New product) WiFi touch switch (single fire and zero fire universal relay)
DS-121YJL-4




Normal Color: White Product Size: 120 * 70...
Input Voltage: 100-240VAC 50 / 60 Hz Networking Mode: WiFi Rated Power: 1200W
Canada / Brazil / Vietnam and Thailand
WiFi button switch in American regulations / Australian regulations / Italy /
DS-122Y



Normal Color: White Product Size: 120 * 70...
Input Voltage: 100-240VAC 50 / 60 Hz Networking Mode: WiFi Rated Power: 1200W
Thailand WIFI touch all-way switch with face cover
US regulations / Australian regulations / Italy / Canada / Brazil / Vietnam /
DS-123Y-1



Normal Color: White Product Size: 120 * 7...
Input Voltage: 100-240VAC 50 / 60 Hz Networking Mode: WiFi Rated Power: 600W*2
Australian regulations / Italy / Canada / Brazil / Vietnam and Thailand
WIFI touch two-way switch with face cover in American regulations /
DS-123Y-2



Normal Color: White Product Size: 120 * 7...
Input Voltage: 100-240VAC 50 / 60 Hz Networking Mode: WiFi Rated Power: 600W*3
Canada / Brazil / Vietnam and Thailand
WiFi touch three-way switch with cover in America / Australia / Italy /
DS-123Y-3

Home Appliances & Yard Equipment

09

Smart home appliances and outdoor yard equipment — robot vacuums, air fryers, coffee machines, generators, lawn mowers and more.

52 MODELS



Quickly sharpens dull kitchen knives with easy to operate design.

Household Electric Knife Sharpener

XLJR



deep fabric penetration...

1600W powerful steam (220-240V / 50 / 60Hz) / fine steam output 20-30g / min for

Portable Handheld Garment Steamer

XLJ23



clean with one rinse...

600ml fresh-juice capacity / 10-blade stainless steel cutter / two-speed control / rinses

Portable Juicer Blender Cup

XLJ24



double-click to start (fixed-quantity mode...

Smart Induction Tissue Dispenser - touch-free automatic paper dispensing:

smart sensor paper towel dispenser

XL101



ultra-fast foaming...

Automatic Hand Soap Dispenser - 3 adjustable foam levels (0.6s / 1s / 1.5s) / 0.2s

automatic soap dispenser

XL-x1



dispensing (place toothbrush in the se...

Automatic Toothpaste Dispenser - smart infrared induction / touch-free toothpaste

automatic toothpaste dispenser

XL-x34



LED bright work lights...
4.3" IPS display / HD high-pixel camera / built-in lithium battery / 2x image zoom / 8
Waterproof Industrial Endoscope 5M
XL-4535



Power5WSuction1200PaSqueegee width20cm ColorWhit...
Product NameElectric Window Vacuum Cleaner Electric Glass Scraper Rated
20cm scraper strip / sucks sewage automatically / multi scene cleaning f...
Handheld cordless electric glass scraper with 1200Pa suction / silicone
XL-c121



coverage: 90 120 Feature: Low power consumpti...
Battery: 2000mAh lithium ion battery Working time: 90 120 minutes Cleaning
TUUYA Robot Vacuum Cleaner
SZAKSM



Total power: 90W Power off protection du...
Product dimension: 29014493mm Cleaning route: Intelligent planning Color: White
Intelligent Window Cleaning Robot
WZWY

Product Details



Voltage: 220V Speed: 3150 rpm Outlet Diamete...
Model: QDX Submersible Pump Power: 750w / 1hp Flow Rate: 1.5m / h Head: 35m
Submersible Sump Pump with Float Switch / 50 60Hz 5 Meter Cable
LCJQ



40 mm Package size (4 pcs set): 4035.53...
Power: 550W Voltage: 220V 50Hz Flow rate: 8m / h Head: 7m Outlet diameter: 25 32
level falls below 0.5 cm. (550w)
Auto sensor pump: auto start at 0.5 cm water level / auto stop when water
TZHS



Mini Portable Household Gasoline Generator 650w
SQGM



rated power 5.0kW...
Digital Commercial Inverter Generator - rated voltage 230V / rated current 21.7A /
Small Portable Household Gasoline Generator 2kw
ZJPS



6 kW off grid solar power system with daily power output of 9.6 kWh.
and emergency backup.
Fully independent from utility grid / supplies power for household / yard
SDYZ



Output Waveform: Pure Sine Wave Solar Panel: 18...
Product Name: Solar Energy Storage System Model: GD8050 Power: 500W-15ah
Portable Outdoor Solar Energy Storage Battery for Household Use
XLDY-10



Output Waveform: Pure Sine Wave Solar Panel: 18...
Product Name: Solar Energy Storage System Model: GD8051 Power: 500W-30ah
Portable Outdoor Solar Energy Storage Battery for Household Use
XLDY-11



detection Battery status analysis Batte...
BMS 6 fold Safety Protection Adopt BMS battery management system: Battery status
29.0cm(L) x 20.5cm(W) x 22.9cm(H) / Battery Core / Battery Cell: LiFeP...
Basic Specs / Rated Power: 200W / AC Output: 220V / Product dimension:
SZJY



Upgraded version 200L Diameter: 60cm / Height: 70cm 52 Gallon
For rainwater collection / eco friendly reuse of water resources 200L
WFJH



Length: 10 meters
Electric heating tape Temperature range: 0 110degC Power: 25W / m Voltage: 220V
Pipe Freeze Protection Heating Cable 10M
AHYN



municipal tap water (5-38degC...
Tankless Pure Water Purifier (RO / JSY-400G / 600G) - tankless design / suitable for
Drinking Water Filter System 600G
SZND



Air volume: 60m...
Power: 7W Noise level: 20 33dB Panel size: 24224256mm Power supply: 110 240V
Ventilator (EC motor)
TUYA ABT60P / PM2.5 Wall Mounted Bidirectional Flow Fresh Air
WZDXD



cm (W) x 30.5 cm (D) x 51 cm (H) Feature: T...
Product Parameters Model: 50# Cabinet type Wood Burning Stove Dimensions: 50
Opening
50# Cabinet type Thickened Wood Burning Stove with Cooking & Boiling
ZJTLN



Specification Size: 800mm length x 40...
Selected item 800(L) x 400(H) x 180(D) mm / Decorative & Heating Electric Fireplace
Heating Fireplace Core / Customizable
Recessed Electric Fireplace Insert / LED Simulated Flame / Decorative &
FSXB



Heating area: 30 40 m Product size: 3...
View: Three sided fire viewing Control: Remote control + touch screen Power: 2000W
Screen Control
A Model Three Sided View Electric Fireplace Heater / Remote & Touch
FSHA



the Coating button...
Connect the power supply / place the mobile phone into the disinfection box / press
Mobile Phone UV Sterilization & Disinfection Box
DGJJ



Timer range: 20 60 minutes Size: Customizabl...
Color: Customizable Voltage: 100 240V Power: 1250W Temperature range: 35 60
Water free Sauna Box
GZFJE



(manual water filling by water tank + au...
Voltage & Power: 110V / 220V / 50 / 60HZ / 1000W Installation: Dual water inlet
Dual Water inlet Countertop Dishwasher
ZSDZG-1



Power: 820W Net weight: 4.38KG Prod...
Water tank capacity: 3.8L Inner cavity capacity: 14.5L Material: Food grade material
Baby Bottle Cleaning Machine
ZSDZG-2



2600mAh Charging time: About 3 4 hours Single w...
Water tank capacity: 90ML Coffee cup capacity: 120ML Battery: 3pcs 18650
Portable Heating Coffee Machine
XYXYD



Layers: 2 slice Scale mark: Inner wall m...
 Body material: Plastic Control mode: Mechanical Panel type: White ceramic panel
 Toasting
ZJWJ



mark: Inner wall marking Operation mode:...
 Control mode: Mechanical Panel type: White ceramic panel Layers: 2 slice Scale
 Plastic
BZHK



product size L240xW250xH300mm...
 Semi-Automatic Espresso Coffee Machine - Italian style / semi-automatic operation /
 semi automatic coffee machine
XL-78



high-precision grinder...
 Stainless Steel Espresso Coffee Machine - from bean to cup with built-in
 super automatic espresso machine
XL-79



215*150*240mm Single Package Size: 355*235...
 Material: ABS / PP / PE External Dimension: 335*203*285mm Internal Dimension:
 car refrigerator 10L
XL-b12



/ black...
 6L Mini Car Refrigerator (Ruiqi X5) - 6L capacity / 2.3kg / engineering plastic + metal
 car refrigerator 6L
XL-b22



80-110 cubes (~13 drinks)...
Mini Portable Ice Maker - quick ice in minutes with refrigeration compressor / stores household ice maker
XL-b43



2 in 1 Magnetic Bluetooth Speaker
XL-0254



capacity: 1200ml Water tank capacity: 350ml Wo...
Input voltage: 26V Motor speed: 44000 RPM Suction power: 12000Pa Dust cup
Cordless Vacuum Cleaner (High Suction)
WZXDL



Loncin Operation mode: Remote control...
Fuel: Gasoline Power: 9.0HP Cutting width: 55cm Stroke: Four stroke Engine brand:
Household Remote Control Lawn Mower
SDGC



Working time: 30 minutes Stock: 490 pcs
21V Push Lawn Mower (3.0AH 1 battery version)
JYDTW



width: 30cm Features: Adjustable handle...
Product voltage: 21V Motor type: Brushless motor Cleaning depth: 17.8cm Cleaning
Electric Handheld Snow Thrower
JYDYY



Max...
Working area capacity: 300 Cutting method: Random Lithium ion battery: 18V / 2.5Ah
Vision AI Robotic Lawn Mower
LJXQ



sterilization function.
12L 14L 16L Features a perfect fit seal to avoid leakage / equipped with UV light
Household Smart Sensor Trash Can 14L
XL-12



sterilization function.
12L 14L 16L Features a perfect fit seal to avoid leakage / equipped with UV light
Household Smart Sensor Trash Can 14L sterilization function
XL-13



Dual channel design enables drying two pairs of shoes simultaneously.
Household Dual Channel Shoe Dryer
XLJC



/ gray / green...
Smart Toothbrush Sterilizer & Dryer (SK-A59) - UV disinfection + drying / colors black
for several toothbrushes / built-in automatic toothpaste dispenser...
Toothbrush Sterilizer Box - strong UV deep sterilization / multi-slot holder
XLZB



Fine mist atomization / creates comfortable fragrance atmosphere.
Household Mist Aroma Diffuser
LW25-1



Home Baby Wet Wipe Warmer / Keep Wipes Moist
Wet Wipe Warmer & Moisturizer
XWYQ



280degC)...
1. Smart Air Fryer - fast air grilling to cut cooking time / digital display (up to total capacity)
Dual-Basket Air Fryer Oven 8L - two independent cooking baskets (8L
XLJ25



Smart Oven with Screen Display 10L
XLJ26



Large Oven 16.5L
XLJ27

(内容由AI生成, 仅供参考)